

# Thyroid cancer—rising most rapidly among insured patients

July 1 2013

---

The rapid increase in papillary thyroid cancer in the US, may not be linked to increase in occurrence, according to a head and neck surgeon at Dartmouth-Hitchcock Norris Cotton Cancer Center, instead it may be linked to an increase in the diagnosis of pre-cancerous conditions and to a person's insurance status. That is the conclusion of a paper published in *Thyroid*, a peer reviewed journal of the American Thyroid Association, which included the research of Senior Author Louise Davies, MD, MS, The Veteran's Administration Outcomes Group, White River Junction, Geisel School of Medicine at Dartmouth, and assistant professor of Surgery of The Dartmouth Institute.

"This work shows that access to health care is an important driver in the rising incidence of [thyroid cancer](#)," said Davies. "People with insurance are more likely to be diagnosed with thyroid cancer than those without insurance." In addition researchers found that higher education levels and higher rates of white collar employment were also associated with increased diagnosis rates.

Papillary thyroid cancer is rising 8.8 percent in Americans over age 65 who have Medicare. Among adults under age 65, who do not have access to Medicare, the rate of increase is 6.4 percent. The mortality rate from thyroid cancer, however, has not changed.

"We did the study to understand who is at risk of being diagnosed with thyroid cancer, which is now— like [prostate cancer](#)—recognized to be a disease that is commonly over diagnosed," said Davies.

Over diagnosis is the identification of a cancer that would otherwise not have been identified in a person's lifetime.

"The findings are counterintuitive for many: having good health insurance puts you at risk for something bad—the unnecessary identification and treatment of a cancer that was never destined to cause a problem," said Davies.

Davies and lead author Luc Morris, MD, MSc, Memorial Sloan-Kettering Cancer Center, used Surveillance, Epidemiology and End Results (SEER) data to examine [papillary thyroid cancer](#) incidence trends in Medicare age and non-Medicare age adults over three decades. They looked at 497 counties in the US over three decades. The Geospatial Shared Resource at Norris Cotton Cancer Center helped the team analyze and map the information.

How will this finding change the practice of medicine? According to Davies, "As a next step we should look to protect patients from unnecessary workups of thyroid findings that do not present a significant threat to their health."

Provided by Dartmouth-Hitchcock Medical Center

Citation: Thyroid cancer—rising most rapidly among insured patients (2013, July 1) retrieved 14 July 2023 from <https://medicalxpress.com/news/2013-07-thyroid-cancerrising-rapidly-patients.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--