

Study: Most twins can be born without a C-section

October 2 2013, by Marilyn Marchione



Parents hold their twin newborn babies at the Hennepin County Medical Center in Minneapolis, Minn. on Sunday Jan. 1, 2012. Most moms can safely give birth without cesarean section surgery, according to a study published in the Thursday, Oct. 3, 2013 issue of the *New England Journal of Medicine*. (AP Photo/The Star Tribune, Richard Sennott)

Expecting twins? You probably don't need to schedule a cesarean

section. Most moms can safely give birth without surgery, a big study finds.

It's the latest research to question the need for C-sections, which are done in one-third of all births in the United States and three-fourths of those involving twins. Studies increasingly are challenging long-held beliefs about cesareans, such as that women who had one need to deliver future babies the same way.

Now doctors are looking hard at C-sections for twin births, which are on the rise because of infertility treatments. Twins have more risk for [birth](#) complications and some studies suggest C-sections lower that risk, but this had not been put to a rigorous test.

Dr. Jon Barrett of Sunnybrook Health Sciences Center in Toronto, led a study in 25 countries of 2,800 women pregnant with twins. All of the first of the twins to be delivered were in good position for birth (most doctors still recommend a C-section if the first twin is in feet-first or breech position).

Half of the moms were scheduled to have C-sections and the rest, vaginal births. About 40 percent of the latter group wound up having C-sections, and 10 percent of those scheduled to have cesareans ended up giving birth vaginally.

About 2 percent of newborns died or had a serious problem, but the manner of birth made no difference. Nor did it affect the rate of complications in [moms](#).

The Canadian Institutes of Health Research paid for the study. Results are in Thursday's *New England Journal of Medicine*.

"These results do not indicate that all sets of [twins](#) should be delivered

vaginally," but that planning to do so is a reasonable choice if the doctor is experienced in twin births and knows when a C-section becomes necessary, Dr. Michael Greene of Massachusetts General Hospital wrote in a commentary in the journal.

© 2013 The Associated Press. All rights reserved.

Citation: Study: Most twins can be born without a C-section (2013, October 2) retrieved 5 July 2023 from <https://medicalxpress.com/news/2013-10-twins-born-c-section.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.