

Cannabis alleviates peripheral neuropathic pain in diabetes

July 25 2015



A small trial shows a dose-dependent reduction in peripheral neuropathic pain in patients with diabetes, according to a study published in the July issue of *The Journal of Pain*.

(HealthDay)—A small trial shows a dose-dependent reduction in peripheral neuropathic pain in patients with diabetes, according to a study published in the July issue of *The Journal of Pain*.

Mark S. Wallace, M.D., from the University of California in San Diego, and colleagues conducted a randomized trial in 16 patients with painful diabetic peripheral neuropathy. They examined the short-term efficacy and tolerability of inhaled cannabis; each participant was exposed to four single dosing sessions of placebo or to low, medium, or high doses of cannabis in a crossover design. The authors performed baseline spontaneous pain, evoked pain, and cognitive testing. Subjects were administered aerosolized <u>cannabis</u> or placebo and the pain intensity and



subjective "highness" score was measured during the first hour and for an additional three hours.

The researchers found that spontaneous pain scores were significantly different between doses (P placebo and low, medium, and high doses were significant (P = 0.031, 0.04, and "This adds preliminary evidence to support further research on the efficacy of the cannabinoids in neuropathic pain," the authors write.

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2015 <u>HealthDay</u>. All rights reserved.

Citation: Cannabis alleviates peripheral neuropathic pain in diabetes (2015, July 25) retrieved 4 July 2023 from https://medicalxpress.com/news/2015-07-cannabis-alleviates-peripheral-neuropathic-pain.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.