

Walking is bound hand and foot: How long projecting neurons couple the movement of our limbs

November 17 2016



Walking is a whole-body movement. Arm and leg movements are coupled by long nerve networks in the spinal cord. Credit: University of Basel, Biozentrum

We humans walk with our feet. This is true, but not entirely. Walking, as part of locomotion, is a coordinated whole-body movement that involves both the arms and legs. Researchers at the Biozentrum of the University of Basel and the Friedrich Miescher Institute for Biomedical Research have identified different subpopulations of neurons in the spinal cord with long projections. Published in *Neuron*, the results show that these

neurons coordinate movement of arms and legs and ensure a stable body posture during locomotion.

The locomotor pattern consists of a highly controlled sequence of muscle contractions, which are controlled by [neuronal circuits](#) in the [spinal cord](#) and the brain. The research group of Prof. Silvia Arber at the Biozentrum of the University of Basel and the Friedrich Miescher Institute for Biomedical Research now reveal that specific, long projecting neurons, traversing our spinal cord, form an important basis for the coordination of fore- and hindlimbs. These neurons couple local networks over long distances and thereby ensure posture and rhythm of our body during locomotion.

Neuronal circuits in the spinal cord reflect walking pattern

Even though humans rose from the quadrupedal position to stand on their feet during evolution, coordination and alternation patterns of the four limbs are still needed in order to move efficiently as in all other quadrupedal species. "We showed that the diametric movement of fore- and hindlimbs is reflected in neuronal circuits of the spinal cord", says Ludwig Ruder, first author of the study. Thus, axons of most excitatory neurons cross the midline of the spinal cord and contact contralateral networks. In contrast, [inhibitory neurons](#) project predominantly on the same side of the body. The diagonal and mirrored pattern of the excitatory neuronal connections is very interesting when observing the coordination of arms and legs in a runner as Usain Bolt. "During running, not only do his legs move, but synchronously and diametrically also his arms—in complete coordination with each other", says Ruder.

Long projecting neurons control whole body parameters of locomotion ...

To demonstrate the importance of long projection neurons in the spinal cord for the walking pattern, the researchers selectively eliminated those neurons. "Upon inactivation of spinal long projection neurons that couple local networks, not only is the stability and speed during running impaired, but also the coordinated fore- and hindlimb movements fall apart at higher speeds", says Ruder. Interestingly, local movement patterns within a single limb remain however unaffected. This reinforces the specific role of long projecting neurons in the regulation of whole body movement.

... and distribute information of the brain

In a next step, the research team observed that the neurons with long projections broadcast their signals throughout the spinal cord and receive extensive input from various brain regions. This organization of long projection neurons and their connections places them at an important intersection between integrating information from the brain and distributing it in the spinal cord.

Up to now, researchers investigated mainly local spinal networks and their role in movement. In contrast, neurons with long projections have not been studied all that much. "However, the results of our new study show that long projecting neurons in the spinal cord exhibit a very important role for the coordination of the locomotor pattern", explains Silvia Arber. "Henceforth, we plan to investigate how the brain interacts differently with local and long projecting spinal [neurons](#) to control them specifically." In the long run, these results can be important to restore functionality after [spinal cord injuries](#).

More information: Ludwig Ruder, Aya Takeoka and Silvia Arber, Long-Distance Descending Spinal Neurons Ensure Quadrupedal Locomotor Stability, *Neuron* (2016), [DOI](#):

[10.1016/j.neuron.2016.10.032](https://doi.org/10.1016/j.neuron.2016.10.032)

Provided by University of Basel

Citation: Walking is bound hand and foot: How long projecting neurons couple the movement of our limbs (2016, November 17) retrieved 28 January 2024 from

<https://medicalxpress.com/news/2016-11-bound-foot-neurons-couple-movement.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.