

# Clinical benefits for CRT-D over ICD even with comorbidity

May 10 2017

---



(HealthDay)—For patients with left bundle branch block, the benefit of

cardiac resynchronization therapy with defibrillator (CRT-D) over implantable cardioverter-defibrillator (ICD) alone persists with comorbidity, according to a study published in the May 16 issue of the *Journal of the American College of Cardiology*.

Emily P. Zeitler, M.D., from Duke University Hospital in Durham, N.C., and colleagues examined the correlation of multiple comorbidities with the benefits of CRT-D over ICD alone in 1,214 patients with left bundle branch block and zero, one, two, or three or more comorbidities.

The researchers identified an inverse correlation between comorbidity burden and improvements in left ventricular (LV) end-systolic volume, LV end-diastolic volume, LV ejection fraction, left atrial volume, and LV dyssynchrony. Regardless of treatment group, there was an increasing risk of death or nonfatal heart failure events with increasing comorbidity burden in an adjusted model (P

"The burden of comorbidity does not appear to compromise the clinical benefits of CRT-D compared with ICD alone," the authors write.

Several authors disclosed financial ties to the pharmaceutical and medical device industries.

**More information:** [Abstract/Full Text \(subscription or payment may be required\)](#)

[Editorial \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

Citation: Clinical benefits for CRT-D over ICD even with comorbidity (2017, May 10) retrieved 25 January 2023 from <https://medicalxpress.com/news/2017-05-clinical-benefits-crt-d-icd-comorbidity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.