

Boys with inattention-hyperactivity face increased risk for traumatic brain injuries

February 19 2020



Credit: McGill University

McGill-led research shows that boys exhibiting inattention-hyperactivity at age 10 have a higher risk for traumatic brain injuries (TBIs) in adolescence and adulthood. Treatments to reduce these behaviours may decrease the risk for TBIs.

"Traumatic brain injuries are the leading cause of death and disability in children and [young adults](#), but little is known about the factors that provoke them," says Guido Guberman, a doctoral and [medical student](#) in the Department of Neurology and Neurosurgery at McGill University. The study published in the *Canadian Journal of Psychiatry* is the first to show that childhood behaviours identified by teachers such as inattention-

hyperactivity predicted subsequent traumatic brain injuries. The study also found that boys who sustained TBIs in childhood were at greater risk of sustaining TBIs in adolescence.

According to the researchers, TBIs occur in approximately 17% of males in the [general population](#), yet there is little research about TBI prevention. To determine whether there is a link between inattention-hyperactivity and TBIs, they analyzed data from 724 Canadian males from age 6 to 34. They examined health files and collected information from parents when participants were aged six, then administered a questionnaire to the participants' teachers on classroom behaviours when the participants were aged 10 years.

"To avoid suffering and disability, prevention strategies are needed, for example promoting cyclist safety," says Guberman. "There are treatments that can decrease the severity of childhood inattention-hyperactivity and behavioural problems. Our results suggest that trials are necessary to determine whether these programs can also decrease the risk for subsequent traumatic [brain](#) injuries."

More information: Guido I. Guberman et al, A Prospective Study of Childhood Predictors of Traumatic Brain Injuries Sustained in Adolescence and Adulthood, *The Canadian Journal of Psychiatry* (2019). [DOI: 10.1177/0706743719882171](https://doi.org/10.1177/0706743719882171)

Provided by McGill University

Citation: Boys with inattention-hyperactivity face increased risk for traumatic brain injuries (2020, February 19) retrieved 14 July 2023 from <https://medicalxpress.com/news/2020-02-boys-inattention-hyperactivity-traumatic-brain-injuries.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.