


Kidney transplantation between people with HIV is safe, study finds

July 23 2020



Credit: Pixabay/CC0 Public Domain

Kidney transplantation from deceased donors with HIV to people living with both HIV and end-stage kidney disease is feasible and safe, investigators supported by the National Institutes of Health have found. Their study demonstrates that the pool of available kidneys for people with HIV can be expanded by including donors with HIV, making more

kidneys available for all who are awaiting a transplant.

The new findings build on research from 2019, when scientists from the University of Cape Town and NIH reported that people living with HIV who received kidney transplants from deceased donors with HIV had high overall survival and kidney graft survival after five years.

People living with HIV have a growing prevalence of end-stage kidney disease and are nearly three times more likely to die while on kidney dialysis than people without HIV. Kidney transplantation extends the lives of people with HIV and end-stage kidney disease, but these individuals face a shortage of donors and limited access to donor kidneys. The HIV Organ Policy Equity (HOPE) Act, passed by the U.S. Congress and signed into law in 2013, allows [organ transplants](#) from donors with HIV to recipients with HIV in approved research studies in the United States. Experts concurred that [kidney transplantation](#) between people with HIV would expand the pool of available organs and save lives. Consequently, investigators sought to explore the safety of this innovative transplantation practice.

The multicenter study was conducted by the HOPE in Action team led by Christine M. Durand, M.D., associate professor of medicine, and Dorry Segev, M.D., professor of surgery at Johns Hopkins University in Baltimore. NIH's National Institute of Allergy and Infectious Diseases (NIAID) funded the study with additional support from the National Cancer Institute, also part of NIH.

Between March 2016 and July 2019, investigators at 14 clinical research sites enrolled 75 adults with end-stage kidney disease and HIV whose virus was reliably suppressed by anti-HIV therapy. Twenty-five participants received kidney transplants from deceased donors with HIV, and 50 participants received kidney transplants from deceased donors without HIV. The latter group included 22 donors who had false-positive

HIV tests, another new organ source that has been an unexpected benefit of the HOPE Act.

All participants survived transplantation at a median follow-up of 1.4 years for recipients of HIV-positive kidneys and 1.8 years for recipients of HIV-negative kidneys. One year after transplantation, overall graft survival was excellent and comparable between recipients of HIV-positive kidneys (91%) and HIV-negative kidneys (92%). In addition, there were no differences in the rates of infections requiring hospitalization, serious adverse events (1.1 per person year) or HIV-related complications, which were rare.

Dr. Durand also is leading the HOPE in Action Multicenter Kidney Study, a large-scale, NIAID-sponsored clinical trial to further study the safety of [kidney](#) transplantation between people with HIV.

More information: Christine M. Durand et al, A Prospective Multicenter Pilot Study of HIV-Positive Deceased Donor to HIV-Positive Recipient Kidney Transplantation: HOPE in Action, *American Journal of Transplantation* (2020). [DOI: 10.1111/ajt.16205](https://doi.org/10.1111/ajt.16205)

Provided by NIH/National Institute of Allergy and Infectious Diseases

Citation: Kidney transplantation between people with HIV is safe, study finds (2020, July 23) retrieved 22 November 2023 from <https://medicalxpress.com/news/2020-07-kidney-transplantation-people-hiv-safe.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.