


Mental health distress impacting cancer patients, says new survey of oncologists

December 9 2021



Credit: Pixabay/CC0 Public Domain

More than 80% of oncologists frequently see mental health distress in their patients with cancer, and more than 90% say it has a significant impact on their health outcomes. These findings were released today in the latest edition of *Oncology Insights*, a report published by Cardinal Health Specialty Solutions based on surveys with more than 240 U.S. oncologists.

Anxiety disorders and depression were cited by more than 80% of oncologists as the types of mental health distress seen most frequently in their patients, but personality and addiction disorders were also mentioned. Despite the high prevalence of mental health concerns, only a third of the surveyed oncologists said they frequently refer patients for mental health treatment and nearly half say there are not adequate resources available to support the mental health needs of [cancer](#) patients.

"Recent research indicates that mental health generally has declined since the start of the COVID-19 pandemic. This is particularly concerning for patients with cancer who are already at an increased risk for mental [health](#) distress," said Heidi Hunter, President of Cardinal Health Specialty Solutions. "Our latest oncology survey shines a light on this issue and provides insights on additional education and resources that could help oncologists to provide much-needed support to patients."

The survey also explored oncologists' views on the effective use of palliative care for patients with advanced cancer.

- While there was strong agreement among oncologists (68%) that early introduction of palliative care leads to better outcomes for patients with advanced cancer, only 17% said they refer patients

to palliative care at the time metastatic disease is diagnosed.

- The top barriers to delivering effective palliative care cited by [survey](#) participants were resistance from patients and caregivers (39%) and lack of staff dedicated to palliative care (28%).
- A strong majority (74%) said better tools are needed to educate patients with advanced cancer about how palliative care can enhance their quality of life. In addition, 45% said better data and predictive analytics are needed to help clinicians determine when to refer patients for palliative care.

More information: Order report here:

[www.cardinalhealth.com/en/serv ... ologyInsights-060117](http://www.cardinalhealth.com/en/serv...ologyInsights-060117)

Provided by Cardinal Health

Citation: Mental health distress impacting cancer patients, says new survey of oncologists (2021, December 9) retrieved 1 January 2023 from <https://medicalxpress.com/news/2021-12-mental-health-distress-impacting-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.