

Wound dressing that autonomously administers antibacterial drugs only when needed

March 29 2022



Empa researcher Fei Pan is working on a membrane made of nanofibers that releases medication only when the material heats up. Such a membrane could, for example, become active in a bandage as soon as an inflammation starts.
Credit: Empa

It is not possible to tell from the outside whether a wound will heal without problems under the dressing or whether bacteria will penetrate the injured tissue and ignite an inflammation. To be on the safe side, disinfectant ointments or antibiotics are applied to the wound before the dressing is applied. However, these preventive measures are not necessary in every case. Thus, medications are wasted and wounds are over-treated.

Even worse, the wasteful use of antibiotics promotes the emergence of multi-resistant germs, which are an immense problem in global healthcare. Empa researchers at the two Empa laboratories Bionterfaces and Biomimetic Membranes and Textiles in St. Gallen want to change this. They are developing a dressing that autonomously administers antibacterial drugs only when they are really needed.

The idea of the interdisciplinary team led by Qun Ren and Fei Pan: The dressing should be "loaded" with drugs and react to [environmental stimuli](#). "In this way, wounds could be treated as needed at exactly the right moment," explains Fei Pan. As an environmental stimulus, the team chose a well-known effect: the rise in temperature in an infected, inflamed wound.

Perfect mixture

Now the team had to design a material that would react appropriately to this increase in temperature. For this purpose, a skin-compatible [polymer](#) composite was developed made of several components: acrylic glass (polymethyl methacrylate, or PMMA), which is used, for example, for eyeglass lenses and in the [textile industry](#), and Eudragit, a biocompatible polymer mixture that is used, for example, to coat pills. Electrospinning was used to process the polymer mixture into a fine membrane of nanofibers. Finally, octenidine was encapsulated in the nanofibers as a medically active component. Octenidine is a disinfectant

that acts quickly against bacteria, fungi and some viruses. In healthcare, it can be used on the skin, on [mucous membranes](#) and for wound disinfection.

Shattering glove

"In order for the membrane to act as a 'smart bandage' and actually release the disinfectant when the wound heats up due to an infection, we put together the polymer mixture of PMMA and Eudragit in such a way that we could adjust the [glass transition temperature](#) accordingly," says Fei Pan. This is the temperature, at which a polymer changes from a solid consistency to a rubbery, toughened state. Figuratively, the effect is often described in reverse: If you put a rubber glove in liquid nitrogen at—196 degrees, it changes its consistency and becomes so hard that you can shatter it like glass with one blow.

The desired glass transition temperature of the polymer membrane, on the other hand, was in the range of 37 degrees. When inflammation kicks in and the skin heats up above its normal temperature of 32 to 34 degrees, the polymer changes from its solid to a softer state. In laboratory experiments, the team observed the disinfectant being released from the polymer at 37 degrees—but not at 32 degrees. Another advantage: The process is reversible and can be repeated up to five times, as the process always "switches itself off" when it cools down. Following these promising initial tests, the Empa researchers now want to fine-tune the effect. Instead of a temperature range of four to five degrees, the [smart bandage](#) should already switch on and off at smaller temperature differences.

Smart and unsparing

To investigate the efficacy of the nanofiber membranes against wound germs, further laboratory experiments are now in the pipeline. Team

leader Qun Ren has long been concerned with germs that nestle in the interface between surfaces and the environment, such as on a skin wound. "In this biological setting, a kind of no man's land between the body and the dressing material, bacteria find a perfect biological niche," says the Empa researcher. Infectious agents such as staphylococci or Pseudomonas bacteria can cause severe wound healing disorders. It was precisely these wound germs that the team allowed to become acquainted with the smart dressing in the Petri dish. And indeed: The number of bacteria was reduced roughly 1,000-fold when octenidine was released from the smart dressing.

"With octenidine, we have achieved a proof of principle for controlled [drug release](#) by an external stimulus," said Qun Ren. In the future, she said, the technology could be applied to other types of drugs, increasing the efficiency and precision in their dosage.

More information: Fei Pan et al, Bioresponsive Hybrid Nanofibers Enable Controlled Drug Delivery through Glass Transition Switching at Physiological Temperature, *ACS Applied Bio Materials* (2021). [DOI: 10.1021/acsabm.1c00099](https://doi.org/10.1021/acsabm.1c00099)

Provided by Swiss Federal Laboratories for Materials Science and Technology

Citation: Wound dressing that autonomously administers antibacterial drugs only when needed (2022, March 29) retrieved 24 November 2023 from <https://medicalxpress.com/news/2022-03-wound-autonomously-antibacterial-drugs.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.