


Super ager brains contain 'super neurons'

September 30 2022



Credit: Pixabay/CC0 Public Domain

Neurons in an area of the brain responsible for memory (known as the entorhinal cortex) were significantly larger in super agers (80 years and older) compared to cognitively average peers, individuals with early-stage Alzheimer's disease and even individuals 20 to 30 years younger than super agers, reports a new Northwestern Medicine study.

These [neurons](#) did not harbor [tau tangles](#), a signature hallmark of Alzheimer's disease.

"The remarkable observation that super agers showed larger neurons than their younger peers may imply that large cells were present from birth and are maintained structurally throughout their lives," said lead author Tamar Gefen, an assistant professor of psychiatry and [behavioral](#)

[sciences](#) at Northwestern University Feinberg School of Medicine. "We conclude that larger neurons are a biological signature of the SuperAging trajectory."

The study of super agers with exceptional memory was the first to show that these individuals carry a unique biological signature that comprises larger and healthier neurons in the [entorhinal cortex](#) that are relatively void of tau tangles (pathology).

The study will be published Sept. 30 in *The Journal of Neuroscience*.

The Northwestern Super Aging Research Program studies unique individuals known as super agers, who are 80+ year-olds who show exceptional memory at least as good as individuals 20 to 30 years their junior.

"To understand how and why people may be resistant to developing Alzheimer's disease, it is important to closely investigate the postmortem brains of super agers," Gefen said. "What makes super agers' brains unique? How can we harness their biologic traits to help elderly stave off Alzheimer's disease?"

Scientists studied the entorhinal cortex of the brain because it controls memory and is one of the first locations targeted by Alzheimer's disease. The entorhinal cortex comprises six layers of neurons packed on top of one another. Layer II, in particular, receives information from other memory centers and is a very specific and crucial hub along the brain's memory circuit.

In the study, scientists show that super agers harbor large, healthier neurons in layer II of the entorhinal cortex compared to their same-aged peers, individuals with early stages of Alzheimer's disease and even individuals 20 to 30 years younger. They also showed that these large

layer II neurons were spared from the formation of tau tangles.

Taken together, the findings suggest that a neuron spared from tangle formation can maintain its structural integrity (i.e., remain healthy and large). The inverse also seems to be true: Tau tangles can lead to neuronal shrinkage.

Participants in the Super Ager study donate their brains for research.

For the study, scientists examined the brains of six super agers, seven cognitively average elderly individuals, six young individuals and five individuals with early stages of Alzheimer's. Then they measured the size of neurons in layer II of the entorhinal cortex (compared to layers III and V). They also measured the presence of tau tangles in these cases.

For reasons that remain unknown, cell populations in the entorhinal cortex are selectively vulnerable to tau tangle formation during normal aging and in early stages of Alzheimer's.

"In this study, we show that in Alzheimer's, neuronal shrinkage (atrophy) in the entorhinal [cortex](#) appears to be a characteristic marker of the disease," Gefen said.

"We suspect this process is a function of tau tangle formation in the affected cells leading to poor memory abilities in older age," Gefen said. "Identifying this contributing factor (and every contributing factor) is crucial to the early identification of Alzheimer's, monitoring its course and guiding treatment."

Future studies are needed to understand how and why neuronal integrity is preserved in super agers. Gefen wants to focus on probing the cellular environment.

"What are the chemical, metabolic or genetic features of these cells that render them resilient?" she asked. She also plans to investigate other hubs along the [memory](#) circuit of the [brain](#) to better understand the spread of or resistance to disease.

More information: Neuronal Integrity in SuperAging, *The Journal of Neuroscience* (2022). [dx.doi.org/10.1523/JNEUROSCI.0679-22.2022](https://doi.org/10.1523/JNEUROSCI.0679-22.2022)

Provided by Northwestern University

Citation: Super ager brains contain 'super neurons' (2022, September 30) retrieved 10 July 2023 from <https://medicalxpress.com/news/2022-09-super-ager-brains-neurons.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.