


Using math to better treat cancer

November 28 2022



Graphical abstract. Credit: *Journal of Mathematical Biology* (2022). DOI: 10.1007/s00285-022-01819-y

Researchers at the University of Waterloo have identified a new method for scheduling radiation therapy that could be as much as 22% more effective at killing cancer cells than current standard radiation treatment regimens.

While many mathematical studies have examined how to optimize the scheduling of radiation treatment for maximum effectiveness against cancer, most of these studies assume "intratumoral homogeneity"—that

is, that all of the [cancer cells](#) are the same. In recent years, however, scientists have realized that tumors are made up of many different kinds of cells. Most importantly, they include [cancer stem cells](#), which are more resistant to radiation than other kinds of cells.

"The problem with any calculation involving cancer is that it's super hard to get exact values because things vary from cancer type to cancer type, patient to patient, even within the tumor," said Cameron Meaney, a Ph.D. candidate in Applied Mathematics at Waterloo and the lead researcher on the study.

This [new algorithm](#) can generalize the differing radiation resistances of stem cells and non-stem cells, allowing doctors to predict how a tumor will respond to treatment before gathering exact data on an individual's cancer.

The model has limitations, Meaney explained, as tumors contain far more than two kinds of cells. What it does, however, is provide clinical researchers with a better starting point for treatment research.

"The results of the algorithm are important because they shed light on the idea that heterogeneity in tumors matters for planning treatment," Meaney said.

The next step the researchers hope to see is an application of their algorithm to clinical studies: will their suggested therapy schedule outperform existing scheduling practices in a lab trial?

The study appears in the *Journal of Mathematical Biology*.

More information: Cameron Meaney et al, Temporal optimization of radiation therapy to heterogeneous tumour populations and cancer stem cells, *Journal of Mathematical Biology* (2022). [DOI:](#)

[10.1007/s00285-022-01819-y](https://doi.org/10.1007/s00285-022-01819-y)

Provided by University of Waterloo

Citation: Using math to better treat cancer (2022, November 28) retrieved 8 April 2023 from <https://medicalxpress.com/news/2022-11-math-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.