


High fat ketogenic diet envisioned as potential life-saving therapy to combat low platelets in cancer patients

December 29 2022, by Delthia Ricks



Ketogenic diet promotes megakaryopoiesis and platelet production via β-OHB (A) ELISA detection of serum TPO, c-Mpl, and IL-6 concentrations in control or KDtreated mice at day 7 (n = 6 samples per group). (B) Representative immunofluorescence micrograph of isolated primary MKs stained with CD41 (red) and DAPI (blue). Scale bar: 20 μ m. Quantification of CD41+ cells in isolated cells (n = 8 random fields per group). (C) Representative transmission



electron microscopy micrographs of isolated primary MKs from control or KDtreated mice. Red arrowhead: nucleus. Yellow arrowhead: pre-DMS. Blue arrowhead: cytoplasmic rearrangements. Scale bar in upper panel: 2 µm. Scale bar in middle panel: 500 nm. Scale bar in lower panel: 1 µm. (D) Quantification of cell viability in vehicle- or β -OHB-treated MKs (n = 5 samples per group). OPCR detection of Nfe2 and Gata1 RNA expressions in MK treated with various doses of β -OHB (n = 3 samples per group). (E) QPCR quantification of Bdh1 and Bdh2 mRNA expression in MK transfected with scramble siRNA or Bdh1/2 siRNA (n = 3 samples per group). (F) Phalloidin (green) and DAPI (blue) immunofluorescent staining micrographs of human MEG-01 cells treated with vehicle or 2 mM β-OHB. Scale bar: 150 μm. Quantifications of MK number per field (n = 8 random fields per group). (G) Representative transmission electron microscopy micrographs of human MEG-01 cells treated with vehicle or 2 mM β-OHB. Red arrowhead: nucleus. Yellow arrowhead: pre-DMS. Blue arrowhead: cytoplasmic rearrangements. Scale bar in upper panel: 2 μm. Scale bar in middle panel: 500 nm. Scale bar in lower panel: 1 μm. (H) Megakaryopoiesis- and thrombocytopoiesisassociated gene expression of human MEG-01 cells form vehicle- or β-OHB-stimulated MKs pre-treated with or without MCT1 inhibitor AZD3965 (n = 3 samples per group). (I) Megakaryopoiesis- and thrombocytopoiesis-associated gene expression of vehicle- or β-OHB-stimulated human MEG-01 cells pre-treated with or without BDH1/2 siRNA (n = 3 samples per group). *p

Citation: High fat ketogenic diet envisioned as potential life-saving therapy to combat low platelets in cancer patients (2022, December 29) retrieved 29 January 2023 from https://medicalxpress.com/news/2022-12-high-fat-ketogenic-diet-envisioned.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.