


Synthetic biology: Next generation genetically encoded fluorescent sensors for serotonin

December 16 2022, by Sarah Batelka



Characterization in HEK cells. **a** Design principle of *sDarken*. **b** Screening result of linker variants. Bars indicate fluorescence changes upon application of serotonin. Blue bar represents mutant M34. **c** Expression of mutant M34 (*sDarken*) in HEK cells. Scale bar 20 μm . Fluorescence before and after the application of 800 nM 5-HT. Representative fluorescence trace of sensor variant M34 expressing HEK cell during the application of 800 nM 5-HT. Experiments were at least repeated three times. **d** (i) Representative image sequence of repetitive 5-HT application via wash in. (ii) Example fluorescence measurement,

repetitive application of 5 μ M 5-HT in 9 example cells in two dishes. Application of 5-HT leads to a reversible reduction of fluorescence. No baseline corrections were performed. (iii) Heatmap of all analyzed ROIs. Scale bar in the first frame applies to all following frames. Scale bar 20 μ m. **e** Example trace of 5-HT uncaging (405 nm, laser power: 90%, bleaching period: 90 ms, interval: 50 s) evoked *sDarken* responses. Blue circle indicates uncaging area. White line indicates the part of the membrane that was used for analysis. Fluorescence signal of *sDarken*. $\Delta F/F$ values of part of membrane (white line) over time (exemplary trial). Blue bars indicate uncaging (i.e., bleaching) intervals. Repetitive uncaging of 5-HT resulted in decreasing $\Delta F/F$ values of *sDarken*. **f** Fast 5-HT application to an outside-out patch. Representative image from an outside-out patch containing *sDarken* 48 h post transfection (left). Fluorescence intensity changes in the patch. The fluorescence recovery after 5-HT wash out is significantly slower than the activation. No background/baseline corrections were performed. **g** Dose response curve measured in response to different 5-HT concentrations. Group data $n = 20$ from at least 2 replicates, mean and \pm SEM are shown. **h** Fluorescence changes after application of serotonin, related substances or neurotransmitters (if not mentioned differently, concentration 10 μ M ($n = 10$)). Box represents the 25% percentile to the 75% percentile. The line in the middle of the box represents the median. One-Way ANOVA Multiple Comparison, *** p

Citation: Synthetic biology: Next generation genetically encoded fluorescent sensors for serotonin (2022, December 16) retrieved 10 February 2023 from <https://medicalxpress.com/news/2022-12-synthetic-biology-generation-genetically-encoded.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.