


# Transplanting stem cells from fetuses into people with MS reduces markers in early-stage trial

January 10 2023, by Bob Yirka



The number of injected hfNPCs inversely correlates with brain volume loss. Color-coded areas of brain atrophy (blue) and growth (red) representing PBVC

at 2 years from hfNPC transplantation in two representative patients, respectively, receiving a low dose (a, red in c) and high dose (b, green in c) of hfNPCs. c, Lower rates of total brain atrophy (percentage of brain volume change [PBVC]) significantly correlate with the number of injected hfNPCs ( $r = 0.73$ ,  $P = 0.007$ ). Two-sided Spearman's correlation test. d, Lower rates of GM atrophy (percentage of gray matter volume change [PGMVC]) significantly correlate with the number of injected hfNPCs ( $r = 0.66$ ,  $P = 0.02$ ). Two-sided Spearman's correlation test. e, Although not statistically significant, lower rates of brain WM atrophy (percentage of white matter volume change [PWMVC]) seem to correlate with high number of injected hfNPCs ( $r = 0.52$ ,  $P = 0.08$ ). Two-sided Spearman's correlation test. Credit: *Nature Medicine* (2023). DOI: 10.1038/s41591-022-02097-3

A team of researchers at IRCCS San Raffaele Scientific Institute, working with colleagues from San Gerardo Hospital, University Vita-Salute San Raffaele, IRCCS Ca' Granda Ospedale Maggiore Policlinico and the University of Genoa, all in Italy, has found that patients with MS who received stem cells collected from aborted fetuses showed reduced markers of the disease in an early stage trial.

In their paper published in the journal *Nature Medicine*, the group describes collecting stem cells from 10- and 12-week-old aborted fetuses and injecting them into the spinal columns of patients in a clinical trial.

Multiple sclerosis is a neurodegenerative disease that can reduce feeling and use of limbs and other parts of the body. It is caused by the [immune system](#) mistakenly attacking and damaging the myelin sheath that insulates nerves. Many therapies have been developed to treat symptoms of the disease but there is no cure. In this new effort, the researchers tried a new approach to curing the disease—giving patients fetal stem cells donated by women who chose to have an abortion.

The clinical trial involved injecting stem cells into 12 patients four times. Prior to the injections, all of the patients had what were described as severe symptoms and were all bedridden. Additionally, each of the patients submitted to a lumbar puncture to extract fluid from the [spinal cord](#) to measure neuroprotective and anti-inflammatory molecule levels, markers for MS. Each also underwent an MRI scan to measure [gray matter](#) volume—patients with MS gradually lose brain mass.

After three months, each of the volunteers underwent another [lumbar puncture](#). The researchers found that all of them had increases in neuroprotective and anti-inflammatory molecules in the spinal fluid. Each of the volunteers also underwent MRI scans two years after the injections; those patients given the largest infusion of [stem cells](#) experienced the least amount of gray matter loss.

The researchers note that it is still too early to determine if any or all of the volunteers have reductions in symptoms or slowdown of progression of the disease. They will all be monitored in the coming years to see if the stem cell injections provide any relief.

**More information:** Angela Genchi et al, Neural stem cell transplantation in patients with progressive multiple sclerosis: an open-label, phase 1 study, *Nature Medicine* (2023). [DOI: 10.1038/s41591-022-02097-3](#)

© 2023 Science X Network

Citation: Transplanting stem cells from fetuses into people with MS reduces markers in early-stage trial (2023, January 10) retrieved 21 July 2023 from <https://medicalxpress.com/news/2023-01-transplanting-stem-cells-fetuses-people.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.