


Researchers discover biomarkers that could predict future allergic conditions

February 23 2023



Credit: *Journal of Allergy and Clinical Immunology* (2023). DOI: 10.1016/j.jaci.2023.02.013

Researchers at National Jewish Health have identified an immune and lipid profile on the surface of the skin of infants that can predict the development of atopic dermatitis, or eczema, months before the onset of

clinical illness. Atopic dermatitis affects 20-30% of children worldwide. Atopic dermatitis commonly occurs in children and can progress into what is called the atopic or allergic march, which refers to the progression of diseases that often begin early in life. Once the skin rash occurs, food allergies, asthma, and other problems can develop.

"The holy grail to deal with [atopic dermatitis](#) is to prevent it," said Donald Leung, MD, Ph.D., division head of Pediatric Allergy and Clinical Immunology at National Jewish Health and senior author of the study published today in the *Journal of Allergy and Clinical Immunology*. "It tends to come back when you treat it, so we really have to examine how to avoid getting it."

Researchers partnered with hospitals in Korea, where physicians there used non-invasive skin tapes on the forearms of babies who were two months old, before signs of clinical atopic dermatitis typically present. The study participants included those with and without a family history of atopic diseases.

Babies were clinically monitored from birth until they reached age two. Their [skin cells](#) were collected beginning at two months of age, and were analyzed by mass spectrometry in the laboratory of Evgeny Berdyshev, Ph.D., lead author of the study and the head of the [mass spectrometry](#) laboratory at National Jewish Health who pioneered this analytical assay.

"In order for us to introduce an effective preventative therapy, we must know the skin abnormalities before patients develop clinical rash. Now that we've discovered the [biomarkers](#) IL-13 and TSLP, we can find ways to prevent [eczema](#) by using targeted therapies, such as emollients or other biologics," said Dr. Leung.

"The disease begins because the skin barrier is leaky and allows allergens

to come in through the skin. An abnormal skin barrier doesn't protect a patient from environmental hazards."

Researchers at National Jewish Health began using the painless, round skin tape on babies about 10 years ago. Prior to that, dermatologists performed painful biopsies on the skin. Offering this new option increased the number of people willing to participate in these groundbreaking studies.

More information: Evgeny Berdyshev et al, Stratum Corneum Lipid and Cytokine Biomarkers at Two Months of Age Predict the Future Onset of Atopic Dermatitis, *Journal of Allergy and Clinical Immunology* (2023). [DOI: 10.1016/j.jaci.2023.02.013](https://doi.org/10.1016/j.jaci.2023.02.013)

Provided by National Jewish Health

Citation: Researchers discover biomarkers that could predict future allergic conditions (2023, February 23) retrieved 27 February 2023 from <https://medicalxpress.com/news/2023-02-biomarkers-future-allergic-conditions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.