

Risk of death for people with dementia increases after a hurricane exposure, finds study

March 13 2023



Credit: Pixabay/CC0 Public Domain

A new study published in *JAMA Network Open* explores mortality risk among older adults living with dementia who were exposed to major US

hurricanes.

Previous studies of hurricanes have shown general increases in [mortality](#), but little has been known about how mortality following hurricane exposure may differ among older adults living with [dementia](#). Their increased risk could be due to disruption of normal routine, such as access to caregiving, changes in living environment, loss in access to medications, and change in [daily routines](#), said study first author Sue Anne Bell, assistant professor at the UNiversity of Michigan (U-M) School of Nursing.

The analysis focused on risk for mortality among people with dementia, rather than actual increases in mortality. The findings don't give a precise number of deaths due to [hurricane](#) effects.

Bell and colleagues examined counties in U.S. states affected by Hurricanes Irma, Harvey and Florence in the year before and after the storm. There were 54,340 deaths among the study population of 346,171.

Key findings include:

- Risk of mortality was highest in those aged 85 and older, with a 9% increase in risk of death compared to adults over 85 without dementia.
- Older adults who are enrolled in both Medicare and Medicaid had an 11% increased risk for mortality.
- Among people with dementia who moved a year after the storm, the risks for mortality remained whether they moved or not.
- The percentage of mortality attributed to exposure among people with dementia ranged from 10.9% for Harvey to 6.2% for Irma.
- Mortality peaked 3-6 months after hurricanes Irma and Harvey, suggesting the increase in mortality was due to factors other than

the immediate harms of the storm, such as lack of health care access and changes in normal routines.

Why the impact on dementia patients matters

The Population Reference Bureau estimates that more than 7 million people aged 65 or older had dementia in 2020, Bell said. If current demographic and health trends continue, more than 9 million Americans could have dementia by 2030 and nearly 12 million by 2040. As [climate change](#) worsens, [disasters](#) will increase along with the numbers of people with dementia.

"The important message is that older adults with dementia have unique needs, most notably that during a disaster, they are almost entirely dependent on caregivers due to their lack of awareness of the crisis," Bell said. "I think if anything, there is new attention to the needs of older adults during a disaster, and this study is one of an emerging body of evidence that is working to better support the needs of older adults before, during and after disasters.

Next steps in disaster research and dementia

"There is so much more that needs to be studied here that could help inform us about being ready for disasters," Bell said. "Studying how caregivers have prepared, whether people evacuated, what type of response capabilities their community had, would potentially influence the impact of the disaster on this group of [older adults](#)."

Bell hopes these findings raise awareness about the special needs of people living with dementia during disasters and call for an integrated approach to preparedness and response that includes local, state and federal responders, healthcare regulators, and policymakers.

More information: Sue Anne Bell et al, Mortality After Exposure to a Hurricane Among Older Adults Living With Dementia, *JAMA Network Open* (2023). [DOI: 10.1001/jamanetworkopen.2023.2043](https://doi.org/10.1001/jamanetworkopen.2023.2043)

Provided by University of Michigan

Citation: Risk of death for people with dementia increases after a hurricane exposure, finds study (2023, March 13) retrieved 23 April 2023 from <https://medicalxpress.com/news/2023-03-death-people-dementia-hurricane-exposure.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.