


Astrocyte dysfunction found to cause cognitive decline

April 20 2023



Human astrocytes have increased extranuclear TDP-43 accumulation in AD and FTD. (A) Representative images of TDP-43 immunoreactivity (green) in human postmortem hippocampal sections from nondementia controls (Con), sporadic AD (s-AD), sporadic FTD–TDP-43 (s-FTD), or familial FTD–TDP-43 (f-FTD) cases. The astrocyte marker GFAP (red) was used to visualize astrocytic cell

bodies and main processes, and DAPI (blue) was used to visualize cell nuclei within individual astrocytes. Scale bar, 50 μm . (**B to D**) Quantification of TDP-43 immunoreactivity within different astrocytic subcellular regions. A.U., arbitrary units. One-way analysis of variance (ANOVA): $F(3,28) = 4.21$, $P = 0.014$ (B); $F(3,28) = 0.34$, $P = 0.80$ (C); and $F(3,28) = 7.56$, $P = 0.0007$ (D); Dunnett's post hoc test: * P

Citation: Astrocyte dysfunction found to cause cognitive decline (2023, April 20) retrieved 21 November 2023 from <https://medicalxpress.com/news/2023-04-astrocyte-dysfunction-cognitive-decline.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.