


How to increase the chance of survival in older patients with head and neck cancer


April 26 2023

A RT vs RT + cetuximab before IPW




No. at risk		0	12	24	36	48	60
RT	232	130	81	51	31	18	
RT + cetuximab	133	77	52	38	31	20	

B RT vs RT + cetuximab after IPW




No. at risk		0	12	24	36	48	60
RT	232	130	81	51	31	18	
RT + cetuximab	133	77	52	38	31	20	

C RT vs CRT before IPW



No. at risk		0	12	24	36	48	60
RT	232	130	81	51	31	18	
CRT	677	465	347	273	197	150	

D RT vs CRT after IPW



No. at risk		0	12	24	36	48	60
RT	232	130	81	51	31	18	
CRT	677	465	347	273	197	150	

Overall Survival of Older Patients (≥ 65 Years) With Head and Neck Squamous Cell Carcinoma Receiving Radiotherapy (RT) Alone or With Concomitant Systemic Treatment A, RT vs RT with cetuximab before inverse probability weighting (IPW); hazard ratio (HR), 0.81 (95% CI, 0.62-1.07); $P = .13$. B, RT vs RT with cetuximab after IPW; HR, 0.94 (95% CI, 0.70-1.27); $P = .70$. C, RT vs chemoradiation (CRT) before IPW; HR, 0.52 (95% CI, 0.43-0.63); P

Citation: How to increase the chance of survival in older patients with head and neck cancer (2023, April 26) retrieved 23 November 2023 from <https://medicalxpress.com/news/2023-04-chance-survival-older-patients-neck.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.