


New lens analysis approach could improve treatments for nearsightedness

May 11 2023



Researchers have developed new instruments for rigorously quantifying and comparing the light focusing properties of specialized eyeglass lenses that are used to slow the progression of myopia, or nearsightedness. Augusto Arias-Gallego is shown working on the setup that was used to measure the focusing properties of these special lenses. Credit: Carl Zeiss Vision International GmbH

Researchers have developed new instruments for rigorously quantifying and comparing the light focusing properties of specialized eyeglass lenses that are used to slow the progression of myopia, or nearsightedness. The information gained with this new approach could help inform future lens designs that are even more effective at preventing visual decline.

Nearsightedness is on the rise around the globe, especially among children. If [current trends](#) continue, half of the world's population will be nearsighted by 2050, according to [a report](#) from the Brien Holden Vision Institute in Australia.

Although the drivers of this worrisome trend aren't entirely clear, specialized eyeglass lenses have been shown to keep myopia from getting worse. This is particularly important for children and teens who often experience progression in the condition as their bodies grow.


Publishing in *Optica*, researchers from the ZEISS Vision Science Lab at the University of Tübingen, in Germany, and the University of Murcia, in Spain, describe their new instruments, which measure [lens](#) performance under real-world viewing conditions. They also report results from measuring the light focusing characteristics of different lenses used to slow myopia progression.

"Insights into the link between the optical properties of myopia progression management lenses and effectiveness in real-world scenarios will pave the way to more effective treatments," said study author Augusto Arias-Gallego, from the ZEISS Vision Science Lab. "This could help millions of children and is fundamental in understanding the mechanisms by which these lenses work."

Capturing real-life viewing conditions

Myopia is typically caused when a person's eyes become slightly elongated. This leads faraway objects to appear blurry because they are focused in front of, rather than onto, the retina. Although traditional eyeglass lenses can correct this blurriness, conventional lenses don't prevent myopia from getting worse. Myopia progression can increase the likelihood of other eye problems and irreversible blindness.

Lenses that modify retinal signals to reduce myopia progression have been clinically tested and are currently available in the market. Researchers hypothesize that these lenses slow the growth of the eyeball, preventing it from becoming more elongated. These lenses incorporate different types of structures, such as microlenses or microdiffusers, to manipulate the image properties at the peripheral retina while correcting the central vision. However, the optical properties of this relatively new technology have not been extensively studied and compared.



The researchers used a spatial light modulator — shown here being illuminated by the interrogating beam — to reproduce, for the first time, real aberrations produced by different angles of illumination for different myopic eyes. This allowed them to rigorously analyze different types of eyeglass lenses that are used to slow myopia progression. Credit: Augusto Arias-Gallego, ZEISS Vision Science Lab

In the new work, the researchers wanted to thoroughly characterize the currently available lenses under real-world viewing conditions. "After exploring the state of the art, we didn't find a method that could be used to characterize the [optical properties](#) of these eyeglass lenses under real viewing conditions," said Arias-Gallego. "Therefore, we developed a new instrument that can measure the lens's optical response to different angles of illumination while reproducing the myopic eye's pupil and refractive errors."

The new instrument uses an illumination source that is mounted on an arm that rotates around the lens. After the light passes through the lens, a steering rotating mirror guides it toward a [spatial light modulator](#) (SLM), which is composed of tiny liquid crystal cells that modify the propagating light with high spatial resolution.

The SLM is the core of the instrument since it reproduces the refractive errors and pupil shape of myopic eyes. This allowed the researchers to reproduce, for the first time, real aberrations produced by different angles of illumination for different myopic eyes while testing the lenses. Those aberrations were programmed as phase maps using the SLM.

Moreover, programmed amounts of defocus can be induced with the

SLM, enabling the researchers to conduct a through-focus test. This test captures the [image quality](#) within the proximity of a simulated retinal position, shedding light on how the lens interacts with eye elongation signaled at the retina.

The researchers also quantified the lenses' light scattering properties, which was important because one of the tested lenses is based on contrast reduction by adding scattering. For this, they designed a custom setup that does not require the specialized detectors and moving parts conventionally required for scattering quantification.

Comparing lens properties

"By combining the through-focus results with light-scattering measurements, we were able to accurately characterize several types of eyeglass lenses," said Arias. "We then compared our measurements for each lens with their reported clinical efficacy for slowing [myopia](#) progression. The results raised new questions that need to be studied further while also pointing to potential strategies that could increase the efficacy of future designs."

In this work, the lenses were characterized using a single wavelength of light to simplify the analysis of the image properties. Because the illumination in real scenarios contains many wavelengths, the researchers are working to adapt the instrument to include sources with varying wavelengths.

More information: Augusto Arias et al, In-depth optical characterisation of spectacle lenses for myopia progression management, *Optica* (2023). [DOI: 10.1364/OPTICA.486389](https://doi.org/10.1364/OPTICA.486389)

Provided by Optica

Citation: New lens analysis approach could improve treatments for nearsightedness (2023, May 11) retrieved 22 July 2023 from

<https://medicalxpress.com/news/2023-05-lens-analysis-approach-treatments-nearsightedness.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.