

Study supports 'catch up' HPV test in older women

July 6 2023



Researchers led by Mette Tranberg develop a catch-up HPV screening test which could potentially improve cervical cancer prevention in women aged 65 years and older who have never had an HPV test. Credit: Helle Brandstrup Larsen (CC-BY 4.0, creativecommons.org/licenses/by/4.0/)

For women over the age of 65 who have never had a high-risk human

papillomavirus (HPV) test, a "catch up" HPV screening intervention may improve cervical cancer prevention by detecting more cervical pre-cancer lesions as compared to women not offered screening.


That is the conclusion of a new study published in the open access journal *PLOS Medicine* by Mette Tranberg, University Research Clinic for Cancer Screening, Randers Regional Hospital, Denmark, and colleagues.

High-risk HPV test is replacing [cytology](#) as the primary cervical [cancer screening](#) test in most countries, but many women over 65 years have never had an HPV test. Controversy remains on whether and how these women should be offered a catch-up HPV test to prevent cancer at older ages.

Denmark has a free-of-charge cervical cancer screening program aimed at women up to age 64. The new study included all 65- to 69-year-old women in Denmark who had no record of cervical cancer screening in the preceding 5.5 years and no record of an HPV test at ages 60 to 64.

A total of 11,192 eligible women residing in one region were invited to participate in HPV-based cervical cancer screening, by either booking an appointment (at the [general practitioner](#) to have a cervical cytology sample collected) or ordering a vaginal self-sampling kit. Eligible women (33,387) in the four remaining regions of Denmark were assigned to a control group where they received no screening invitation but had the opportunity to have an opportunistic cervical cytology sample collected for whatever reason.

Among all participants, rates of diagnosed [cervical intraepithelial neoplasia](#) (CIN) grade two or worse (CIN2+) were tracked for at least 13 months.



Researchers developed a self-sampling kit as a part of a cervical screening program aimed at 65- to 69-year-old women in Denmark. Credit: Helle Brandstrup Larsen (CC-BY 4.0, creativecommons.org/licenses/by/4.0/)

Among women in the intervention group, 6,965 (62.2%) were screened within 12 months; among those in the control group, 743 (2.2%) had a cervical cytology collected. The rate of CIN2+ detection was 3.9 cases per 1,000 eligible women in the intervention group (95% CI 2.9,5.3, p

Citation: Study supports 'catch up' HPV test in older women (2023, July 6) retrieved 8 July 2023 from <https://medicalxpress.com/news/2023-07-hpv-older-women.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.