

# Insomnia sufferers need increased brain activation to maintain normal daily function

9 June 2009

---

According to new research, patients suffering from chronic primary insomnia (PIs) have higher levels of brain activation compared to normal sleepers during a working memory test.

Results show that PIs use increased [brain activation](#) relative to good sleepers during the working memory task, particularly in areas responsible for visual-spatial attention and coordination of cognitive processes. This activation may explain how PIs maintain performance on the task despite their [sleep](#) difficulties. PIs also were found to have decreased activation in visual and motor areas, which may suggest that PIs have higher baseline activation in these regions relative to good sleepers.

According to principal investigator Henry Orff, MS, at the University of California in San Diego, Calif., these findings show that PIs, like individuals who are acutely sleep deprived, may be able to maintain performance on different tasks if they are able to compensate with increased brain activation.

"The good news is that patients with insomnia are probably able to function well in their daily lives and likely do not show significantly impaired performance," said Orff. "That said, patients may have to work, concentrate, and attend more to tasks than people who sleep well."

The study included 12 people with primary insomnia (six females) with an average age of 39.4 years, and nine good sleepers (four females) with an average age of 35.7 years.

Performance was compared between the two groups on a working memory task. Functional MRIs (fMRI) taken during the task also were compared. Behavioral performance was measured by reaction time for correct responses, number of correct responses, and number of errors committed.

The authors state that they do not know yet whether the findings suggest potential long-term implications for cognitive functioning in the future if primary insomnia is left untreated.

Source: American Academy of Sleep Medicine ([news](#) : [web](#))

APA citation: Insomnia sufferers need increased brain activation to maintain normal daily function (2009, June 9) retrieved 2 August 2022 from <https://medicalxpress.com/news/2009-06-insomnia-brain-daily-function.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*