

NYC public school students have high levels of access to convenience stores with unhealthy food

September 22 2010

Most studies of the food choices available near public schools have focused on fast food outlets rather than the full range of options available to schoolchildren. A new study by researchers at Columbia University's Mailman School of Public Health examined the patterns of exposure to a broad range of food outlets for school children in New York City.

The study, "Disparities in the Food Environments of New York City Public Schools," is published in the <u>American Journal of Preventive</u> <u>Medicine</u> Volume 39, Issue 3, and cited as the "Editor's Choice" in the September issue.

Using 2006-2007 data for New York City school locations, the paper describes the prevalence of five types of food outlets near schools. These included national chain and local fast-food restaurants, pizzerias, small grocery stores or bodegas, and convenience stores within 400 meters (437 yards) of public schools.

The researchers found that 92.9% of students had a small grocery store within 400 meters of their school; these stores typically carry fewer healthy food options than larger grocery stores. In addition, 70.6% had a pizzeria within 400 meters, 48.9% were that close to a convenience store, 43.2% were within 400 m. of a national chain fast-food restaurant, such as McDonald's or Burger King, and 33.9% were within 400 m. of a



local fast-food chain restaurant.

"The data confirm that nearly all New York City public school students have access to inexpensive, energy-dense foods within a 5-minute walk of New York City's public schools," reported Andrew Rundle, DrPH, associate professor of epidemiology at the Mailman School, and senior author.

The study also examined disparities by economic status and race/ethnicity in access to these food outlets, and evaluated the extent to which these disparities are explained by school neighborhoods.

Racial/ethnic minority and low-income students were more likely to attend schools with <u>unhealthy food</u> outlets nearby. Bodegas were the most common source of unhealthy food, with an average of nearly 10 bodegas within 400 m. While more research is needed to analyze the items sold from a nutritional standpoint, it is apparent that small <u>grocery stores</u> offer high caloric foods at very tempting prices.

"Our data points to the fact that children who are at an economic disadvantage tend to have more small groceries in close daytime proximity which could affect their food intake and health over the long term," says Dr. Rundle. "A comprehensive understanding of the food available to schoolchildren is critical for policies aimed at promoting healthy eating among children, whether this means passing zoning laws to limit fast food, adding more healthy choices in existing food outlets, using pricing to promote consumption of healthy foods, or implementing closed-campus lunch policies."

Provided by Columbia University

Citation: NYC public school students have high levels of access to convenience stores with



unhealthy food (2010, September 22) retrieved 25 February 2024 from https://medicalxpress.com/news/2010-09-nyc-school-students-high-access.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.