

Calif. surgery to separate conjoined twins begins

1 November 2011



Lead surgeon Gary Hartman says severing the [liver](#) will be the riskiest part of the procedure because of potential [blood loss](#).

Hartman has done five separation procedures at medical centers around the country and says he expects the operation to go well.

©2011 The Associated Press. All rights reserved. This material may not be published, broadcast, rewritten or redistributed.

Angelica Sabuco, 2, right, and her twin sister Angelina play together at the Lucile Packard Children's Hospital, Monday, Oct. 31, 2011 in Stanford, Calif. The Stanford hospital is preparing for surgical procedure to separate the two-year old girls, who were born joined at the chest and abdomen. (AP Photo/Marcio Jose Sanchez)

(AP) -- Surgery is under way in Northern California to [separate twin girls](#) joined at the chest and abdomen.

The complex procedure to separate Angelina and Angelica Sabuco, of San Jose, began at Stanford University's Lucile Packard Children's Hospital around 6:30 a.m. Tuesday.

Hospital spokeswoman Reena Mukamal says that if all goes according to plan, the 2-year-olds will be out of surgery by mid-afternoon.

The operation will involve cutting along the girls' skin and muscle and separating their diaphragms and livers.

APA citation: Calif. surgery to separate conjoined twins begins (2011, November 1) retrieved 5 May 2021 from <https://medicalxpress.com/news/2011-11-calif-surgery-conjoined-twins.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.