

Study explores link between smoking during pregnancy, autism

26 April 2012



Amy Kalkbrenner, assistant professor of Public Health at the University of Wisconsin-Milwaukee, led the study.
Credit: University of Wisconsin - Milwaukee

Women who smoke in pregnancy may be more likely to have a child with high-functioning autism, such as Asperger's Disorder, according to preliminary findings from a study by researchers involved in the U.S. autism surveillance program of the Centers for Disease Control and Prevention.

"It has long been known that autism is an umbrella term for a wide range of disorders that impair social and communication skills," says Amy Kalkbrenner, assistant professor in the University of Wisconsin-Milwaukee's Joseph J. Zilber School of Public Health, lead author of the study.

"What we are seeing is that some disorders on the autism spectrum, more than others, may be influenced by a factor such as whether a mother smokes during pregnancy."

The study was published April 25, 2012, in an advance online release by the journal

Environmental Health Perspectives.

[Smoking during pregnancy](#) is still common in the U.S. despite its known harmful impacts on babies.

Kalkbrenner found that 13 percent of mothers whose children were included in the study had smoked during pregnancy.

Kalkbrenner and colleagues' population-based study compared smoking data from birth certificates of thousands of children from 11 states to a database of children diagnosed with autism maintained by the CDC's Autism and [Developmental Disabilities Monitoring Network](#) (ADDMN). Of the 633,989 children, born in 1992, 1994, 1996 and 1998, 3,315 were identified as having an [autism spectrum disorder](#) at age 8.

"The study doesn't say for certain that smoking is a risk factor for autism," Kalkbrenner says. "But it does say that if there is an association, it's between smoking and certain types of autism," implicating the disorders on the autism spectrum that are less severe and allow children to function at a higher level. That connection, she adds, needs further study.

April is Autism Awareness Month, and several studies of possible links between [environmental factors](#) and autism are being published by [Environmental Health Perspectives](#) at the same time as Kalkbrenner's study.

"The CDC recently released data indicating that 1 in 88 children has an autism spectrum disorder, making such environmental studies even more timely," says Kalkbrenner.

Because autism involves a broad spectrum of conditions and the interplay of genetics and environment is so complex, no one study can explain all the causes of autism, she adds. "The goal of this work is to help provide a piece of the

puzzle. And in this we were successful."

More information:

[dx.doi.org/10.1289/ehp.1104556](https://doi.org/10.1289/ehp.1104556)

Provided by University of Wisconsin - Milwaukee

APA citation: Study explores link between smoking during pregnancy, autism (2012, April 26) retrieved 26 May 2022 from <https://medicalxpress.com/news/2012-04-explores-link-pregnancy-autism.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.