

Better obesity risk prediction with hip and waist measures

24 October 2012



Inclusion of both waist and hip circumference as separate anthropometric measurements may improve risk prediction for obesity-related mortality and morbidity, according to research published online Oct. 17 in *Obesity Reviews*.

(HealthDay)—Inclusion of both waist and hip circumference as separate anthropometric measurements may improve risk prediction for obesity-related mortality and morbidity, according to research published online Oct. 17 in *Obesity Reviews*.

Noting that both larger waist and narrow hips correlate with an increased risk of mortality and morbidity, Adrian J. Cameron, Ph.D., from Deakin University in Burwood, Australia, and colleagues reviewed the literature to examine the risk of diabetes, <u>cardiovascular disease</u>, and <u>premature</u> <u>mortality</u> for levels of waist and hip circumferences when both anthropometric measures are included in statistical models.

The researchers identified 10 studies that reported the association between hip circumference and death and/or disease outcome, which was unadjusted and adjusted for <u>waist circumference</u>. In five studies, the risk associated with waist circumference was adjusted and unadjusted for hip circumference. The full strength of the association between either waist or hip circumference with morbidity and/or mortality was only apparent when both anthropometric measures were included in

the model, with the exception of one study of <u>venous thromboembolism</u>. The effect of obesity on morbidity and/or mortality was seriously underestimated when the protective effect of hip circumference was not accounted for.

"Both waist and hip circumference should be included in studies of obesity-related outcomes, with the measurement and consideration of both terms independently rather than as a ratio measure potentially improving our understanding of the consequences of obesity," the authors write.

More information: Abstract

Full Text (subscription or payment may be required)

Copyright © 2012 HealthDay. All rights reserved.



APA citation: Better obesity risk prediction with hip and waist measures (2012, October 24) retrieved 19 July 2022 from <u>https://medicalxpress.com/news/2012-10-obesity-hip-waist.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.