

Single vaginal delivery ups later risk of pelvic organ prolapse

9 November 2012



Image courtesy of Blausen Medical

Twenty years after childbirth, the risk of symptomatic pelvic organ prolapse is increased after a single vaginal delivery versus cesarean section, according to a study published online Nov. 2 in *BJOG: An International Journal of Obstetrics and Gynaecology*.

(HealthDay)—Twenty years after childbirth, the risk of symptomatic pelvic organ prolapse (sPOP) is increased after a single vaginal delivery versus cesarean section, according to a study published online Nov. 2 in *BJOG: An International Journal of Obstetrics and Gynaecology*.

Maria Gyhagen, from the Sahlgrenska Academy at Gothenburg University in Sweden, and colleagues examined the prevalence and risk factors for sPOP and concomitant urinary incontinence 20 years after one cesarean section or vaginal delivery. A total of 5,236 singleton primiparae with a birth in 1985 to 1988 with no further births were surveyed using validated questionnaires.

The researchers found that there was an increased prevalence of sPOP after vaginal delivery compared with cesarean section (14.6 versus 6.3 percent; odds ratio, 2.55). No increase was seen after acute versus elective cesarean section. Compared with spontaneous vaginal delivery there was no increased risk of sPOP with episiotomy, vacuum extraction, and second-degree or more laceration. With each unit increase of current [body mass index](#) and each 100 g increase in [birth](#)

[weight](#), there was a significant 3 percent increase in sPOP. The prevalence of sPOP was doubled for mothers ≥ 160 cm in height who delivered a child weighing 4,000 g or greater, compared with short mothers who delivered an infant weighing less than 4,000 g (24.2 versus 13.4 percent; odds ratio, 2.06). Compared with women without prolapse, women with sPOP more often had urinary incontinence and urinary incontinence for more than 10 years.

"The prevalence of sPOP was doubled after vaginal delivery compared with [cesarean section](#), two decades after one birth," the authors write.

More information: [Abstract](#)

[Full Text \(subscription or payment may be required\)](#)

Copyright © 2012 [HealthDay](#). All rights reserved.

APA citation: Single vaginal delivery ups later risk of pelvic organ prolapse (2012, November 9) retrieved 3 May 2021 from <https://medicalxpress.com/news/2012-11-vaginal-delivery-ups-pelvic-prolapse.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.