


Sutures not superior to staples for closure in GI surgery

29 September 2013



Compared with standard procedure using staples, skin closure with subcuticular sutures does not reduce the incidence of wound complications after open gastrointestinal surgery, according to research published in the Sept. 28 issue of *The Lancet*, a theme issue on surgery.

procedure for skin closure to reduce the incidence of <u>wound complications</u> after open <u>gastrointestinal</u> <u>surgery</u>," the authors write.

The study was funded in part by Johnson & Johnson.

More information: Abstract

Full Text (subscription or payment may be required)
Editorial (subscription or payment may be required)

Copyright © 2013 HealthDay. All rights reserved.

(HealthDay)—Compared with standard procedure using staples, skin closure with subcuticular sutures does not reduce the incidence of wound complications after open gastrointestinal (GI) surgery, according to research published in the Sept. 28 issue of *The Lancet*, a theme issue on surgery.

Toshimasa Tsujinaka, M.D., of Kaizuka City Hospital in Osaka, Japan, and colleagues randomly assigned patients aged 20 years or older who were undergoing open upper or lower GI surgery to receive skin closure with either subcuticular sutures (382 upper GI patients and 176 lower GI patients) or staples (413 upper GI and 101 lower GI).

The researchers found that wound complications occurred in 8.4 percent of patients receiving subcuticular sutures and 11.5 percent of those receiving staples; no difference was observed in the rate of wound complications between the groups (odds ratio, 0.709; P = 0.12).

"The efficacy of subcuticular sutures was not validated as an improvement over a standard



APA citation: Sutures not superior to staples for closure in GI surgery (2013, September 29) retrieved 1 May 2021 from https://medicalxpress.com/news/2013-09-sutures-superior-staples-closure-gi.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.