

## ASCO: Burnout reported by most palliative care clinicians

27 October 2014



fewer colleagues within their practice (P

"Further studies on how burnout affects sustainability of the palliative care workforce are needed, especially since this workforce is so critical to the provision of high-quality cancer care," the authors write.

More information: Abstract

More Information

Copyright © 2014 HealthDay. All rights reserved.

(HealthDay)—More than 60 percent of palliative care clinicians report burnout, according to a study presented at the American Society of Clinical Oncology's inaugural Palliative Care in Oncology Symposium, held from Oct. 24 to 25 in Boston.

Arif Kamal, M.D., from the Duke University Medical Center in Durham, N.C., and colleagues examined the prevalence and predictors of <u>burnout</u> among <u>palliative care</u> providers. Data were collected from surveys from 1,241 clinicians who were members of the American Academy of Hospital and Palliative Medicine who had completed the Maslach Burnout Inventory. Burnout severity was assessed across two domains: emotional exhaustion (EE) and depersonalization (DP).

The researchers found that 68 percent of the respondents were physicians, 57 percent were older than 50 years, and 65 percent were females. Forty-two percent reported regularly receiving overnight calls and 30 percent reported working at least 50 hours per week. Of the respondents, 24, 59, and 62 percent, respectively, reported high DP, high EE, and high burnout symptoms on either EE or DP scales. The greatest risk of burnout was reported for younger colleagues, those working more than 50 hours per week, and those with



APA citation: ASCO: Burnout reported by most palliative care clinicians (2014, October 27) retrieved 5 May 2021 from <a href="https://medicalxpress.com/news/2014-10-asco-burnout-palliative-clinicians.html">https://medicalxpress.com/news/2014-10-asco-burnout-palliative-clinicians.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.