

Secondhand marijuana smoke may damage blood vessels as much as tobacco smoke

November 16 2014



Breathing secondhand marijuana smoke could damage your heart and blood vessels as much as secondhand cigarette smoke, according to preliminary research presented at the American Heart Association's Scientific Sessions 2014.

In the study, blood vessel function in lab rats dropped 70 percent after 30 minutes of exposure to secondhand [marijuana smoke](#). Even when the marijuana contained no tetrahydrocannabinol (THC)—a compound in marijuana that produces intoxication—blood vessel function was still impaired.

Reduced blood vessel function may raise the chances of developing atherosclerosis and could lead to a heart attack. Atherosclerosis is the

disease process that causes plaque build-up in the arteries which narrows them and restricts blood flow.

"Most people know secondhand cigarette smoke is bad for you, but many don't realize that secondhand marijuana smoke may also be harmful," said Matthew Springer, Ph.D., senior author of the study and cardiovascular researcher and associate professor of Medicine at the University of California, San Francisco's Cardiology Division.

Marijuana and tobacco smoke are chemically and physically alike, aside from their active ingredients.

The drop in blood vessel function from THC-free marijuana suggests that the compound isn't responsible for the effect. Similarly, this study confirms that nicotine is not required for smoke to interfere with blood vessel function.

In the study, researchers used a modified cigarette smoking machine to expose rats to marijuana smoke. A high-resolution ultrasound machine measured how well the main leg artery functioned. Researchers recorded blood vessel dilation before [smoke exposure](#) and 10 minutes and 40 minutes after smoke exposure.

They also conducted separate tests with THC-free marijuana and plain air. There was no difference in blood vessel function when the rats were exposed to plain air.

In previous tobacco studies, blood vessel function tended to go back to normal within 30 minutes of exposure. However, in the marijuana study, blood vessel function didn't return to normal when measured 40 minutes after exposure.

Now that marijuana is becoming increasingly legalized in the United

States, its effect on others is a growing public health concern, Springer said.

"If you're hanging out in a room where people are smoking a lot of marijuana, you may be harming your [blood vessels](#)," he said. "There's no reason to think marijuana smoke is better than tobacco smoke. Avoid them both."

Secondhand [tobacco smoke](#) causes about 34,000 premature deaths from heart disease each year in the United States among nonsmokers according to the U.S. Surgeon General's 2014 report on the consequences of [smoking](#).

More research is needed to determine if secondhand marijuana smoke has other similar effects to secondhand [cigarette smoke](#) in humans.

Provided by American Heart Association

Citation: Secondhand marijuana smoke may damage blood vessels as much as tobacco smoke (2014, November 16) retrieved 6 January 2023 from <https://medicalxpress.com/news/2014-11-secondhand-marijuana-blood-vessels-tobacco.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.