

Daclatasvir-sofosbuvir combination highly effective and well tolerated in patients with hepatitis C

April 23 2015

Phase III results revealed today at The International Liver Congress 2015 show that once-daily treatment with daclatasvir (DCV) plus sofosbuvir (SOF) resulted in an overall 97% sustained virologic response (SVR) at 12 weeks post-treatment in patients with hepatitis C virus (HCV) and HIV co-infection, including cirrhotic patients.

HIV co-infection more than triples the risk of hepatitis C-related liver disease, liver failure and liver-related death. Co-infection can also complicate the management of HIV infection.

In the ALLY-2 randomised, open-label study, the combination of DCV+SOF was well tolerated and effective across the four different genotypes. Importantly, due to their limited pharmacokinetic interactions with other agents, DCV+SOF was able to work effectively across a broad range of concomitant combination antiretroviral therapy (cART) regimens without compromising HIV virologic control (98% of [patients](#) were on cART).

The study included [treatment](#)-naive (n = 151) and treatment-experienced (n = 52) adults co-infected with HIV and HCV. Treatment-naive patients were randomised 2:1 to receive 12 or 8 weeks of SOF 400 mg + DCV 60 mg (dose adjusted for cART); experienced patients received DCV+SOF for 12 weeks. The primary endpoint was SVR at post-treatment week 12 in treatment-naive [genotype](#)-1 patients who received

12 weeks of DCV+SOF.

A total of 98% of patients completed the study treatment. In genotype-1 patients, SVR was achieved by 96% of treatment-naïve and 98% of experienced patients after 12 weeks of DCV+SOF. These positive results were also seen in genotype-2, -3 and -4 patients, with SVR at post-treatment week 12 reaching 100% (13/13), 100% (10/10) and 100% (3/3), respectively. Eight weeks of treatment appeared less effective with an SVR at 12 weeks post treatment of 76% in genotype-1 patients.

There were no treatment-related serious adverse events (AEs) and none of the patients stopped treatment due to AEs.

The results show that 12 weeks of DCV-SOF is a highly effective and well-tolerated treatment regimen for HCV in patients with HIV co-infection, including [cirrhotic patients](#).

Provided by European Association for the Study of the Liver

Citation: Daclatasvir-sofosbuvir combination highly effective and well tolerated in patients with hepatitis C (2015, April 23) retrieved 11 April 2023 from <https://medicalxpress.com/news/2015-04-daclatasvir-sofosbuvir-combination-highly-effective-tolerated.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--