

New endoscopic, non-surgical bariatric options show promise for treating obesity

7 August 2015

The FDA recently approved two new endoscopic bariatric therapies (EBT) for the treatment of obesity. According to the American Society for Gastrointestinal Endoscopy (ASGE), this development provides important new, minimally invasive tools for combating the obesity epidemic and offers many patients an alternative to surgery.

The ReShape Integrated Dual Balloon System (ReShape Dual Balloon) was approved by the FDA on July 29. The ORBERA IntraGastric Balloon was approved by the FDA on August 6. Many new and emerging treatments can be performed endoscopically, providing an effective and minimally invasive approach that fills a gap in the management of obesity and related conditions. Despite the positive impact of [bariatric surgery](#) on individual patients, only about 1 percent of qualified candidates undergo these surgical procedures.

"Endoscopic bariatric therapies offer a viable, safe alternative for patients who have been unsuccessful at [weight loss](#) with diet and exercise. They may also be appropriate for patients who are not suitable for, or are unwilling to undergo, a more [invasive surgical procedure](#)," said Christopher C. Thompson, MD, MHES, FASGE, chair of the ASGE Bariatric Endoscopy Task Force.

A new meta-analysis from the ASGE concluded that endoscopic bariatric therapies can be effective options and are most beneficial when used as part of a comprehensive, multidisciplinary treatment program.

The ASGE systematic review and meta-analysis assessed EBTs using diagnostic/therapeutic thresholds established in 2012 as part of its Preservation and Incorporation of Valuable endoscopic Innovations (PIVI) initiative. The PIVI program was initiated to identify important clinical questions related to endoscopy and to establish reasoned diagnostic and/or therapeutic thresholds

for endoscopic technologies designed to resolve these questions.

This review and analysis, written by members of the ASGE Bariatric Endoscopy Task Force and the ASGE Technology Committee, is available on the web at

[http://www.giejournal.org/article/S0016-5107\(15\)02271-3/fulltext](http://www.giejournal.org/article/S0016-5107(15)02271-3/fulltext). It analyzed all of the currently available literature for endoscopic bariatric therapies and identified devices that had been extensively studied.

The task force concluded that endoscopic IGB therapy with the ORBERA device meets or exceeds the following predetermined efficacy threshold:

EBT intended as a primary obesity intervention in Class II/III obese individuals (body mass index 35 kg/m²) should achieve a mean minimum threshold of 25 percent excess weight loss (%EWL) measured at 12 months.

IntraGastric balloons intended for weight loss consist of one or more balloons that are placed into the stomach through the mouth using a minimally invasive endoscopic procedure while the patient is under mild sedation. As long as the balloons (filled with saline) are in place, they help patients to feel full so they eat smaller amounts. When it is time to remove the balloons, they are first deflated then removed using another endoscopic procedure. Balloons are typically removed after six months, with patients remaining in a lifestyle support program for one year to maintain weight loss. The intraGastric balloon can be placed in an outpatient setting.

EBT should be performed in the context of a comprehensive, multidisciplinary treatment program including nutritional support, nursing care, behavioral medicine and other components of obesity management. Both didactic and hands-on endoscopic training and skill acquisition with EBT

techniques, technologies and clinical management of obese patients will be needed before performing EBT procedures.

"The ASGE is pleased that the FDA has approved these new devices and looks forward to providing the support and education that will allow our members to use these devices as part of a multidisciplinary weight management program in [patients](#) with obesity," said ASGE President Douglas O. Faigel, MD FASGE. "Gastrointestinal endoscopists will have an important role to play in combatting this difficult and growing epidemic."

Provided by American Society for Gastrointestinal Endoscopy

APA citation: New endoscopic, non-surgical bariatric options show promise for treating obesity (2015, August 7) retrieved 22 June 2022 from <https://medicalxpress.com/news/2015-08-endoscopic-non-surgical-bariatric-options-obesity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.