

Overweight, obesity increase risk of carpal tunnel syndrome

28 September 2015



studies should investigate whether a square-shaped wrist and exposure to physical workload factors potentiate the adverse effect of obesity on the median nerve."

More information: <u>Abstract</u>
Full Text (subscription or payment may be required)

Copyright © 2015 HealthDay. All rights reserved.

(HealthDay)—Overweight and obesity are associated with increased risk of carpal tunnel syndrome (CTS), according to a meta-analysis published online Sept. 23 in *Obesity Reviews*.

Rahman Shiri, M.D, Ph.D., M.P.H., from the Finnish Institute of Occupational Health in Helsinki, and colleagues examined the association between overweight/obesity and CTS, and whether sex modifies the correlation. A meta-analysis was performed on 58 studies involving 1,379,372 individuals.

The researchers found that the risk of CTS or carpal tunnel release was increased with overweight and obesity (pooled confounderadjusted odds ratios, 1.47 and 2.02, respectively). The risk of CTS was increased by 7.4 percent for every one-unit increase in body mass index (adjusted odds ratio, 1.074). The effects of overweight and obesity were stronger on carpal tunnel release than CTS. The correlations did not differ for men and women and were not affected by study design.

"As the prevalence of overweight and obesity is increasing globally, overweight-related CTS is expected to increase," the authors write. "Future



APA citation: Overweight, obesity increase risk of carpal tunnel syndrome (2015, September 28) retrieved 31 August 2022 from https://medicalxpress.com/news/2015-09-overweight-obesity-carpal-tunnel-syndrome.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.