

Damaged nerve cells communicate with stem cells

October 7 2015



First aid kit. Credit: DLG Images

Nerve cells damaged in diseases such as multiple sclerosis (MS), 'talk' to stem cells in the same way that they communicate with other nerve cells, calling out for 'first aid', according to new research from the University of Cambridge.

The study, published today in the journal *Nature Communications*, may have significant implications for the development of future medicines

for disorders that affect myelin sheath, the insulation that protects and insulates our [nerve cells](#).

For our brain and central nervous system to work, electrical signals must travel quickly along nerve fibres. This is achieved by insulating the nerve fibres with a fatty substance called myelin. In diseases such as MS, the [myelin sheath](#) around nerve fibres is lost or damaged, causing physical and mental disability.

Stem cells – the body's [master cells](#), which can develop into almost any type of cell – can act as 'first aid kits', repairing damage to the body. In our nervous system, these stem cells are capable of producing new myelin, which, in the case of MS, for example, can help recover lost function. However, myelin repair often fails, leading to sustained disability. To understand why repair fails in disease, and to design novel ways of promoting myelin repair, researchers at the Wellcome Trust-Medical Research Council Stem Cell Institute at the University of Cambridge studied how this [repair process](#) works.

When nerve fibres lose myelin, they stay active but conduct signals at much lower speed than healthy fibres. Using electrical recording techniques, a team of researchers led by Dr Thora Karadottir discovered that the damaged nerve fibres then form connections with stem cells. These connections are the same as those that connect synapses between different nerve fibres. These new synaptic connections enable the damaged fibres to communicate directly with the stem cells by releasing the glutamate, a chemical that the stem cells can sense via receptors. This communication is critical for directing the stem cells to produce new myelin – when the researchers inhibited either the nerve fibres' activity, their ability to communicate, or the stem cells' ability to sense the communication, the repair process fails.

"This is the first time that we've been able to show that damaged [nerve](#)

[fibres](#) communicate with [stem cells](#) using synaptic connections – the same connections they use to 'talk to' other [nerve](#) cells," says Dr Karadottir. "Armed with this new knowledge, we can start looking into ways to enhance this communication to promote myelin repair in disease."

More information: "Neuronal activity regulates remyelination via glutamate signalling to oligodendrocyte progenitors." *Nature Communications* 6, Article number: 8518 [DOI: 10.1038/ncomms9518](https://doi.org/10.1038/ncomms9518)

Provided by University of Cambridge

Citation: Damaged nerve cells communicate with stem cells (2015, October 7) retrieved 13 July 2023 from <https://medicalxpress.com/news/2015-10-nerve-cells-stem.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--