

Sex change hormonal treatments alter brain chemistry

October 8 2015

Hormonal treatments administered as part of the procedures for sex reassignment have well-known and well-documented effects on the secondary sexual characteristics of the adult body, shifting a recipient's physical appearance to that of the opposite sex.

New research published in the current issue of *Biological Psychiatry* indicates that these hormonal treatments also alter [brain chemistry](#).

Researchers at the Medical University of Vienna, led by senior authors Dr. Siegfried Kasper and Dr. Rupert Lanzenberger, show that administration of the male hormone testosterone in female-to-male transsexuals raises brain levels of SERT, the protein that transports the chemical messenger serotonin into nerve cells.

In contrast, male-to-female transsexuals who received a testosterone blocker and the [female hormone estrogen](#) showed decreased levels of this protein in the brain.

SERT plays an important role in the treatment of mood and anxiety disorders, as many common antidepressants, such as Prozac, block its activity by inhibiting serotonin reuptake. In addition, some genetics studies have suggested that higher levels of serotonin transporter may increase resilience to stress and reduce risk for stress and [mood disorders](#).

.

Because women are twice as likely to be diagnosed with depression as

men, these changes in the levels of SERT are consistent with the increased risk for mood and anxiety disorders in females relative to males.

Lanzenberger added, "These results may explain why testosterone improves symptoms in some forms of depression. Our study also increases our knowledge on the role of sex hormones in sex differences of mood disorders."

Overall, these findings suggest that when people switch from female to male, their biology changes in a way that is consistent with a reduced risk for mood and [anxiety disorders](#), whereas the reverse happens when males switch to females.

"This study is the first to show changes in brain chemistry associated with the hormonal treatments administered in the sex change process," said Dr. John Krystal, Editor of *Biological Psychiatry*. "It provides new insight into the ways that the hormonal differences between men and women influence mood and the risk for mood disorders."

More information: Georg S. Kranz et al. High-Dose Testosterone Treatment Increases Serotonin Transporter Binding in Transgender People, *Biological Psychiatry* (2015). [DOI: 10.1016/j.biopsych.2014.09.010](#)

Provided by Elsevier

Citation: Sex change hormonal treatments alter brain chemistry (2015, October 8) retrieved 23 November 2023 from <https://medicalxpress.com/news/2015-10-sex-hormonal-treatments-brain-chemistry.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.