

Higher weight in first year may up risk of islet autoimmunity

30 March 2016



write.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

(HealthDay)—Development of islet autoimmunity and multiple islet autoantibodies appears to be related to weight z-scores at age 12 months, according to a study published online March 23 in *Diabetes*.

Helena Elding Larsson, M.D., Ph.D., from Lund University in Malmö, Sweden, and colleagues examined the correlation between weight, height, and development of persistent islet autoimmunity and progression to type 1 diabetes during the first four years of life. The correlations were examined in a cohort of 7,468 children at [genetic risk](#) of type 1 diabetes.

The researchers found that development of islet autoimmunity correlated with weight z-scores at 12 months (hazard ratio, 1.16 per 1.14 kg in males or per 1.02 kg in females; P diabetes).

"In conclusion, greater [weight](#) in the first years of life was associated with an increased risk of [development](#) of islet autoimmunity," the authors

APA citation: Higher weight in first year may up risk of islet autoimmunity (2016, March 30) retrieved 11 October 2022 from <https://medicalxpress.com/news/2016-03-higher-weight-year-islet-autoimmunity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.