

Endometrial scratch appears beneficial in couples trying to conceive

July 3 2016

There is a much disputed claim that "injury" to the lining of the uterus - whether inadvertent or deliberate - increases the chance of embryo implantation and thus the chance of pregnancy in certain groups of women having IVF. The "injury" has usually been performed as a biopsy from the womb lining (endometrium), whose action is believed to cause a favourable inflammation ("scratch") within the endometrium thereby making it more receptive to an implanting embryo. Indeed, the success of more complex uterine surgery in some studies has even been attributed to the scratch and not to the surgery itself.

Now, a review of randomised controlled trials evaluating endometrial [scratching](#) in women planning to have intrauterine insemination (IUI) or attempting to conceive spontaneously (with or without ovulation induction) suggests that endometrial scratching may well be beneficial in couples trying to conceive naturally or with IUI, although "the quality of the available evidence is low".

The review was performed by collaborators from Cochrane, an independent network of researchers whose aim is to gather and summarise the best evidence in different medical disciplines. This Cochrane review of endometrial scratching is presented as a poster at this year's Annual Meeting of ESHRE by Sarah Lensen from the Department of Obstetrics and Gynaecology, University of Auckland, New Zealand.

Eight eligible trials with a total of 1180 women were included in the review, in which endometrial scratching was compared to no

intervention or a mock intervention. The primary outcomes were [live birth](#)/ongoing pregnancy and pain from the intervention.

Following analysis, endometrial scratching appeared to increase the chance of clinical pregnancy and live birth compared to no procedure or a placebo procedure; the difference in outcome was statistically significant and appeared to roughly double the chance of live birth compared to no intervention (relative risk 2.22). Ms Lensen explained that endometrial scratching would increase the normal chance of a live birth or ongoing pregnancy from 9% over a set period of time to somewhere between 14 and 28%.

However, the quality of the studies from which the result was derived was described as "very low-quality". "The results must be treated with caution," said Ms Lensen, as most of the included trials were associated with a serious risk of bias. There was no evidence that endometrial scratching has any effect on miscarriage, ectopic pregnancy, or multiple [pregnancy](#). Pain during the scratch procedure was reported by one study as an average of 6/10.

Ms Lensen described endometrial scratching as "a cheap and simple procedure" which can be conducted without analgesia during a short clinic visit; it does, however, require an internal examination which is associated with pain and discomfort.

More information: Abstract P-287, Monday 4 July 2016: Endometrial scratching for pregnancy following sexual intercourse or intrauterine insemination (IUI): a Cochrane systematic review and meta-analysis

Provided by European Society of Human Reproduction and Embryology

Citation: Endometrial scratch appears beneficial in couples trying to conceive (2016, July 3) retrieved 18 July 2023 from <https://medicalxpress.com/news/2016-07-endometrial-beneficial-couples.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.