

Postpartum depression can be ID'd during infant hospitalization

August 22 2016



(HealthDay)—Postpartum depression screening conducted during infant

hospitalization can identify depression among previously unscreened women, according to a study published online Aug. 16 in the *Journal of Hospital Medicine*.

Margaret J. Trost, M.D., from the Children's Hospital Los Angeles, and colleagues assessed [postpartum depression](#) at infant hospitalization in a prospective study conducted among 310 women with an infant aged 2 weeks to 1 year who were admitted to a pediatric hospitalist service. Mothers completed demographic questionnaires, a maternal-infant bonding scale, and the Edinburgh Postpartum Depression Scale (EPDS). Those with a positive screen on the EPDS received counseling and mental health referrals.

The researchers found that 28 percent of [mothers](#) were positive on the EPDS. Appropriate prior [depression screening](#) was reported by 14.6 percent. Poor social support and history of psychiatric diagnoses were maternal factors associated with being EPDS+ (odds ratios, 4.40 and 5.02, respectively); there was a correlation for having an infant with neurodevelopmental comorbidities with EPDS+ screens (odds ratio, 2.78). Of the 21 initially EPDS+ mothers who were reached by phone, 38 percent used their doctor or referral resource, resulting in lower EPDS scores versus those not seeking help (P

"Postpartum depression screening during infant hospitalizations captures women previously unscreened," the authors write.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Postpartum depression can be ID'd during infant hospitalization (2016, August 22)

retrieved 1 February 2024 from

<https://medicalxpress.com/news/2016-08-postpartum-depression-idd-infant-hospitalization.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.