

Limiting salt consumption lowers blood pressure in patients with kidney disease

February 16 2017

In a study of patients with chronic kidney disease (CKD), simple advice from dieticians on limiting salt consumption led to reduced blood pressure. The findings, which appear in an upcoming issue of the *Clinical Journal of the American Society of Nephrology (CJASN)*, point to a practical way to potentially improve CKD patients' health.

Individuals with CKD often have hypertension and volume expansion, an increase in the total amount of fluid present in the body that often occurs when people take in too much salt (sodium) or have impaired kidney function. Increasing the amount of fluid in the body directly raises <u>blood pressure</u>.

Reducing volume expansion and blood pressure are important for slowing the rate of CKD progression. To see if a sodium restricted diet might help achieve this, Rajiv Saran, MD (University of Michigan, Ann Arbor) and his colleagues conducted a randomized crossover trial. A total of 58 adults with CKD followed a sodium restricted diet (20%. During that time, patients experienced an average reduction of 11mmHg in systolic blood pressure and an average reduction in volume of 1 liter.

"We found that reducing sodium in the diet helps to significantly reduce blood pressure and reduce the excess fluid retention that is common among patients with kidney disease," said Dr. Saran. "This did not require complicated pre-cooked meals and was simply based on common sense advice given by trained dieticians that helps patient understand what it takes to reduce salt in their diets and what the potential benefits



are likely to be." Dr. Saran noted that, if applied diligently, <u>sodium</u> restriction may help <u>patients</u> take fewer blood pressure medications.

More information: "A Randomized Crossover Trial of Dietary Sodium Restriction in Stage 3-4 Chronic Kidney Disease," <u>DOI:</u> 10.2215/CJN.01120216

Provided by American Society of Nephrology

Citation: Limiting salt consumption lowers blood pressure in patients with kidney disease (2017, February 16) retrieved 22 December 2022 from https://medicalxpress.com/news/2017-02-limiting-salt-consumption-lowers-blood.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.