

Modified Atkins diet helps children with rare form of epilepsy

23 February 2017



than the classical ketogenic <u>diet</u>, easier to calculate, to cook, and having an optimal responder rate regarding seizure reduction as well," said Dr. Adelheid Wiemer-Kruel, lead author of the *Epilepsia* study.

More information: Adelheid Wiemer-Kruel et al, Modified Atkins diet is an effective treatment for children with Doose syndrome, *Epilepsia* (2017). DOI: 10.1111/epi.13701

Provided by Wiley

Generalized 3 Hz spike and wave discharges in a child with childhood absence epilepsy. Credit: Wikipedia.

Doose syndrome or myoclonic-astatic epilepsy is a rare syndrome accounting for one to two percent of childhood epilepsies. A ketogenic diet, which is low in carbohydrates and high in fat, is an effective treatment, but it is very restrictive and difficult to follow.

In a recent study, 25 of 30 children (83 percent) with Doose syndrome who followed a modified Atkins Diet experienced a seizure reduction of at least 50 percent and 14 of 30 children (47 percent) were seizure-free.

"Toddlers are always very choosy for their food, so the modified Atkins Diet is a good choice for families with a child suffering from a Doose syndrome, as shown by our study: less restrictive



APA citation: Modified Atkins diet helps children with rare form of epilepsy (2017, February 23) retrieved 11 September 2022 from https://medicalxpress.com/news/2017-02-atkins-diet-children-rare-epilepsy.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.