


Breastfeeding may reduce a mother's heart attack and stroke risk

21 June 2017



Human heart. Credit: copyright American Heart Association

Breastfeeding is not only healthy for babies, it may also reduce a mother's risk of having a heart attack or stroke later in life, according to new research published in the *Journal of the American Heart Association*, the Open Access Journal of the American Heart Association/American Stroke Association.

Previous studies have suggested that mothers get short-term health benefits from breastfeeding, such as weight loss and lower cholesterol, blood pressure and glucose levels after pregnancy. However, the long-term effects of breastfeeding on the risk of developing cardiovascular diseases in mothers are unclear. A new study in China found that women who breastfed their babies had about a ten percent lower risk of developing [heart disease](#) or stroke.

Researchers from the University of Oxford, the Chinese Academy of Medical Sciences and Peking University analyzed data from 289,573 Chinese women (average age 51) participating in the China Kadoorie Biobank study who provided detailed information about their reproductive history and other lifestyle factors. Nearly all were mothers and none had cardiovascular disease when they enrolled in the study. After eight years of follow-up, there were 16,671 cases of [coronary heart disease](#), which includes heart attacks, and 23,983 stroke cases.

Researchers observed that:

- Compared to women who had never breastfed, mothers who breastfed their babies had a 9 percent lower risk of heart disease and an 8 percent lower risk of stroke.
- Among mothers who breastfed each of their babies for two years or more, [heart disease risk](#) was 18 percent lower and stroke risk was 17 percent lower than among mothers who never breastfed.
- Each additional 6 months of breastfeeding per baby was associated with a 4 percent lower risk of heart disease and a 3 percent lower risk of stroke.

The researchers considered a range of risk factors for cardiovascular [disease](#), including smoking, high [blood pressure](#), obesity, diabetes and physical activity that could have biased results.

"Although we cannot establish the causal effects, the health benefits to the mother from breastfeeding may be explained by a faster "reset" of the mother's metabolism after pregnancy. Pregnancy changes a woman's metabolism dramatically as she stores fat to provide the energy necessary for her baby's growth and for breastfeeding once the baby is born. Breastfeeding could eliminate the stored fat faster and more

completely," said co-author, Sanne Peters, Ph.D., a research fellow at the University of Oxford in the United Kingdom.

The authors noted that women who breastfeed may be more likely to engage in other beneficial health behaviors that lower their risk of [cardiovascular disease](#) compared to women who do not breastfeed.

Because this study was observational, relying on information provided by the mothers about their breastfeeding histories, it does not prove cause and effect. Results from observational studies such as this one must be confirmed by a different type of study that can prove that a behavior may results in an outcome.

Compared to women in China, breastfeeding duration is typically shorter among women in the United States. Ninety-seven percent of the women in this study breastfed each of their babies for an average of 12 months, compared to 30 percent of U.S. mothers in 2016, according to the World Health Organization. However, the U.S. Nurses' Health Study found only women with a lifetime duration of breastfeeding of 2 years or more had a significantly lower risk of coronary [heart disease](#) than those who never breastfed.

"The findings should encourage more widespread breastfeeding for the benefit of the mother as well as the child," said Zhengming Chen, M.B.B.S., D.Phil., senior study author and professor of epidemiology at the University of Oxford. "The study provides support for the World Health Organization's recommendation that [mothers](#) should breastfeed their babies exclusively for their first six months of life."

The American Heart Association suggests [breastfeeding](#) for 12 months if possible.

Provided by American Heart Association

APA citation: Breastfeeding may reduce a mother's heart attack and stroke risk (2017, June 21) retrieved 20 August 2022 from <https://medicalxpress.com/news/2017-06-breastfeeding-mother-heart.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no

part may be reproduced without the written permission. The content is provided for information purposes only.