

Electrical stimulation of brain may help people with schizophrenia learn to communicate better

July 13 2017, by Leigh Hopper



Credit: Rice University



UCLA researchers have found that people with schizophrenia were able to more accurately determine whether two auditory tones matched or differed, after receiving a type of electrical brain stimulation. Being able to distinguish tones is essential for verbal communication.

People with schizophrenia have difficulty discriminating between tones of differing frequencies. This is thought to impair their ability to interpret tone of voice, resulting in social difficulties. Transcranial direct current stimulation, or tDCS, is a non-invasive neural stimulation technique that passes a weak electrical current (equivalent to a nine-volt battery) through the brain, changing the ability of neurons to respond to stimuli. Scientists wanted to find out if tDCS—which comes in two active varieties, anodal or cathodal—could boost auditory processing in people with schizophrenia.

In 12 people with schizophrenia, researchers applied tDCS via electrodes on the scalp to the <u>auditory cortex</u>, the part of the brain that processes <u>auditory information</u>. The participants received anodal stimulation, cathodal stimulation or a placebo stimulation for 20 minutes. Immediately following stimulation, subjects listened to pairs of tones and were asked whether they sounded identical or different. Cathodal stimulation was associated with significant improved tone discrimination ability. Researchers' next step is to see if the findings can be replicated in a larger group and to test how long the effects of tDCS last.

The technique could present an inexpensive strategy for improving the lives of people with <u>schizophrenia</u> in ways currently unaddressed by medication.

More information: Walter Dunn et al. The effect of bilateral transcranial direct current stimulation on early auditory processing in schizophrenia: a preliminary study, *Journal of Neural Transmission* (2017). DOI: 10.1007/s00702-017-1752-5



Provided by University of California, Los Angeles

Citation: Electrical stimulation of brain may help people with schizophrenia learn to communicate better (2017, July 13) retrieved 26 January 2023 from <u>https://medicalxpress.com/news/2017-07-electrical-brain-people-schizophrenia.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.