

Scientists link genes to brain anatomy in autism

27 February 2018



Credit: CC0 Public Domain

A team of scientists at the University of Cambridge has discovered that specific genes are linked to individual differences in brain anatomy in autistic children.

Previous studies have reported differences in brain these results using new genetic and brain scan structure of autistic individuals. However, until now, scientists have not known which genes are linked to these differences.

The Cambridge team analysed magnetic resonance imaging (MRI) brain scans from more than 150 autistic children and compared them with MRI scans from similarly aged children but who did not have autism. They looked at variation in the thickness of the cortex, the outermost layer of the brain, and linked this to gene activity in the brain.

They discovered a set of genes linked to differences in the thickness of the cortex between autistic kids and non-autistic children. Many of these genes are involved in how brain cells (or neurons) communicate with each other. Interestingly, many of the genes identified in this study have been shown to have lower gene activity

at the molecular level in autistic post mortem brain tissue samples.

The study was led by two postdoctoral scientists, Dr Rafael Romero-Garcia and Dr Richard Bethlehem, and Varun Warrier, a PhD student. The study is published in the journal Molecular Psychiatry and provides the first evidence linking differences in the autistic brain to genes with atypical gene activity in autistic brains.

Dr Richard Bethlehem said: "This takes us one step closer to understanding why the brains of people with and without autism may differ from one another. We have long known that autism itself is genetic, but by combining these different data sets (brain imaging and genetics) we can now identify more precisely which genes are linked to how the autistic brain may differ. In essence, we are beginning to link molecular and macroscopic levels of analysis to better understand the diversity and complexity of autism."

Varun Warrier added: "We now need to confirm data so as to understand how exactly gene activity and thickness of the cortex are linked in autism."

"The identification of genes linked to brain changes in autism is just the first step," said Dr Rafael Romero-Garcia. "These promising findings reveal how important multidisciplinary approaches are if we want to better understand the molecular mechanisms underlying autism. The complexity of this condition requires a joint effort from a wide scientific community."

More information: Rafael Romero-Garcia et al, Synaptic and transcriptionally downregulated genes are associated with cortical thickness differences in autism, Molecular Psychiatry (2018). DOI: 10.1038/s41380-018-0023-7



Provided by University of Cambridge

APA citation: Scientists link genes to brain anatomy in autism (2018, February 27) retrieved 27 April 2021 from <u>https://medicalxpress.com/news/2018-02-scientists-link-genes-brain-anatomy.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.