


Human MAIT cells sense the metabolic state of enteric bacteria

9 May 2018



Clusters of MAIT cells in human blood and colon biopsies, resulting from high-dimensional bioinformatics analysis. Subpopulations of these defense cells group into colored 'continents' according to the markers expressed by the cells. Credit: Department of Biomedicine, Tobias Rutishauser

A little-explored group of immune cells plays an important role in the regulation of intestinal bacteria. Changing metabolic states of the microbes have an effect on defense cells at different stages of alert or rest, as researchers from the Department of Biomedicine at the University and University Hospital of Basel report in the journal *Mucosal Immunology*.

It is known that the metabolites of bacteria influence the composition and function of <u>immune</u> <u>cells</u> resident within the gut. These defense <u>cells</u> include MAIT cells (mucosal-associated invariant T cells), which were only recently discovered and are

naturally abundant in the gastrointestinal mucosa, skin liver and blood. These cells are specialized in recognizing the microorganisms living in every human being and monitoring their activities.

Different populations in gut vs. blood

A group led by Prof. Dr. Gennaro De Libero from the University of Basel and PD Dr. Petr Hruz from the University Hospital of Basel have investigated how MAIT cell activation and function is influenced by bacterial metabolites produced in normal colon. The study revealed that distinct populations of MAIT cells are located in the human intestinal mucosa. These populations were identified in gut biopsies using highly innovative methods and bioinformatics analyses.

Result: MAIT cells are present in variable states of alert and rest, in accordance with the metabolic state of intestinal bacterial flora. The defense cells are most frequently stimulated by bacteria grown under low-oxygen and slow growth-phase conditions such as those found in the large intestine. MAIT cells can then directly influence local inflammation but also tissue healing and cell fitness in the gut by producing different messenger substances.

"Our results show that there is a fine balance occurring in the gut between microbial growth conditions, the production of stimulating metabolites and the response of MAIT defense cells," state the researchers. The metabolism of microbes in the intestine constantly adapts to changing host conditions. By detecting the metabolic state of enteric bacteria, MAIT cells can potentiate their function in mucosal immunosurveillance.

More information: Mathias Schmaler et al, Modulation of bacterial metabolism by the microenvironment controls MAIT cell stimulation, *Mucosal Immunology* (2018). DOI:



10.1038/s41385-018-0020-9

Provided by University of Basel

APA citation: Human MAIT cells sense the metabolic state of enteric bacteria (2018, May 9) retrieved 23 April 2021 from <u>https://medicalxpress.com/news/2018-05-human-mait-cells-metabolic-state.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.