


## Researchers investigate changes in white matter in mice exposed to low-frequency brain stimulation

19 June 2018, by Bob Yirka



Cerebellum of CIVM postnatal rat brain atlas. Credit: Neurolex

A team of researchers at the University of Oregon has learned more about the mechanism involved in mouse brain white matter changes as it responds to stimulation. In their paper published in *Proceedings of the National Academy of Sciences*, the group describes the experiments they conducted and what they found.

Prior studies of the brain have shown that white matter consists mostly of nerve fibers with myelin sheaths. Also, research over the past several years has overturned the notion that it plays a passive role in the brain. Instead, it has been found to play a critical role in learning and is heavily involved as a relay for communications between different parts of the brain. In this new effort, the researchers were building on prior work that showed it was possible to see changes in white matter after subjects underwent meditation training. They had also found that after applying low-frequency optogenetic stimulation to certain brain parts, test mice engaged in activities that had once caused them anxiety, losing their fear

response. The researchers wondered if stimulation induced changes in white matter. In this new effort, they sought to learn more about whether that was the case.

The experiments consisted of studying tissue taken from the brains of the mice that had already been exposed to low-frequency optogenetic stimulation in their prior experiments. More specifically, they focused on cells taken from a part of the corpus callosum. This part was selected for two reasons: First, it was the part that had received the most direct stimulation. Second, it was known to be one of the major areas of the brain through which axons and the anterior cingulate cortex project to the rest of the brain.

They report that they found that the laser stimulation (which was applied in the 1 to 8 Hz range) caused changes to white matter projection fibers. The changes were observed to be an increase in oligodendrocyte proliferation. These changes, they further report, suggest that the stimulation caused a remodeling of myelin, which allowed for enhanced connectivity and changes in behavior.

**More information:** Denise M. Piscopo et al. Changes in white matter in mice resulting from low-frequency brain stimulation, *Proceedings of the National Academy of Sciences* (2018). DOI: 10.1073/pnas.1802160115

## Abstract

Recent reports have begun to elucidate mechanisms by which learning and experience produce white matter changes in the brain. We previously reported changes in white matter surrounding the anterior cingulate cortex in humans after 2–4 weeks of meditation training. We further found that low-frequency optogenetic stimulation of



the anterior cingulate in mice increased time spent in the light in a light/dark box paradigm, suggesting decreased anxiety similar to what is observed following meditation training. Here, we investigated the impact of this stimulation at the cellular level. We found that laser stimulation in the range of 1–8 Hz results in changes to subcortical white matter projection fibers in the corpus callosum. Specifically, stimulation resulted in increased oligodendrocyte proliferation, accompanied by a decrease in the g-ratio within the corpus callosum underlying the anterior cingulate cortex. These results suggest that low-frequency stimulation can result in activity-dependent remodeling of myelin, giving rise to enhanced connectivity and altered behavior.

## © 2018 Medical Xpress

APA citation: Researchers investigate changes in white matter in mice exposed to low-frequency brain stimulation (2018, June 19) retrieved 27 April 2021 from <a href="https://medicalxpress.com/news/2018-06-white-mice-exposed-low-frequency-brain.html">https://medicalxpress.com/news/2018-06-white-mice-exposed-low-frequency-brain.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.