

Highest opioid-related mortality seen in construction jobs

13 September 2018



overdose deaths (1.46) and prescription opioid-related [overdose](#) deaths (1.34). Extraction (e.g., mining, oil and gas extraction), and health care practitioners had the highest PMRs from methadone, natural and semisynthetic opioids, and synthetic opioids other than methadone (1.39 and 1.81, respectively).

"Incorporating workplace research and targeted interventions might benefit the opioid epidemic response," the authors write.

More information: [Abstract/Full Text](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

(HealthDay)—Proportional mortality ratios (PMRs) for heroin-related overdose deaths and methadone-related overdose deaths from 2007 to 2012 were highest among construction workers, according to research published in the Aug. 24 issue of the U.S. Centers for Disease Control and Prevention's *Morbidity and Mortality Weekly Report*.

Laurel Harduar Morano, Ph.D., from the CDC's National Institute for Occupational Safety and Health in Cincinnati, and colleagues used mortality data from the National Occupational Mortality Surveillance system to examine unintentional or undetermined drug overdose mortality within 26 occupation groups. Data from the 21 participating states were included. Drug overdose mortality and total [mortality](#) were compared using PMRs indirectly standardized for age, sex, race, year, and state.

The researchers found that construction occupations had the highest PMRs for [drug overdose deaths](#) and for both heroin-related

APA citation: Highest opioid-related mortality seen in construction jobs (2018, September 13) retrieved 19 August 2022 from <https://medicalxpress.com/news/2018-09-highest-opioid-related-mortality-jobs.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.