

One in ten adults in US has food allergy, but nearly one in five think they do

January 4 2019



Credit: CC0 Public Domain

Over 10 percent of adults in the U.S.—over 26 million—are estimated to have food allergy, according to a study published in *JAMA Network Open* that was led by Ruchi Gupta, MD, MPH, from Ann & Robert H. Lurie Children's Hospital of Chicago and Northwestern University. However, researchers found that 19 percent of adults think they are currently food allergic, although their reported symptoms are inconsistent with a true food allergy, which can trigger a life-threatening reaction. Results are based on a nationally representative survey of over 40,000 adults.

"While we found that one in 10 [adults](#) have [food allergy](#), nearly twice as many adults think that they are allergic to foods, while their symptoms may suggest food intolerance or other food related conditions," says lead author Ruchi Gupta, MD, MPH, from Lurie Children's, who also is a Professor of Pediatrics at Northwestern University Feinberg School of Medicine. "It is important to see a physician for appropriate testing and diagnosis before completely eliminating foods from the diet. If food allergy is confirmed, understanding the management is also critical, including recognizing symptoms of anaphylaxis and how and when to use epinephrine."

Researchers discovered that only half of adults with convincing [food allergy](#) had a physician-confirmed diagnosis, and less than 25 percent reported a current epinephrine prescription.

Researchers also found that nearly half of food-allergic adults developed at least one of their food allergies as an adult.

"We were surprised to find that adult-onset food allergies were so

common," says Dr. Gupta. "More research is needed to understand why this is occurring and how we might prevent it."

The [study](#) data indicate that the most prevalent food allergens among U.S. adults are shellfish (affecting 7.2 million adults), milk (4.7 million), peanut (4.5 million), tree nut (3 million), fin fish (2.2 million), egg (2 million), wheat (2 million), soy (1.5 million), and sesame (.5 million).

"Our data show that shellfish is the top food allergen in adults, that shellfish allergy commonly begins in adulthood, and that this allergy is remarkably common across the lifespan," says Dr. Gupta. "We need more studies to clarify why shellfish allergy appears to be so common and persistent among U.S. adults."

More information: *JAMA Network Open* (2019).

jamanetwork.com/journals/jamanetworkopen.2018.5630

Provided by Ann & Robert H. Lurie Children's Hospital of Chicago

Citation: One in ten adults in US has food allergy, but nearly one in five think they do (2019, January 4) retrieved 6 May 2023 from <https://medicalxpress.com/news/2019-01-ten-adults-food-allergy.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--