

# Researchers find blocking an inflammatory pathway protects tendons from injury

28 February 2019, by Bob Yirka



Credit: CC0 Public Domain

A team of researchers affiliated with several institutions in the U.S. and one in the U.K. has found that blocking a certain inflammatory pathway in mice protects tendons from injury. In their paper published in the journal *Science Translational Medicine*, the group describes their study of tendinopathies and possible ways to prevent them.

Most people have experienced pain related to musculoskeletal injuries. Pulled [tendons](#) or ligaments cause pain. Additionally, the area around the [injury](#) swells as the body begins the healing process. That swelling is [inflammation](#) and [medical researchers](#) have begun to wonder if it causes more harm than good. Prior research has suggested that inflammation may actually play a role in the degeneration of tendons, ligaments or even joint capsules in chronic injuries. But such research has not solved the mystery of whether the degeneration is due to the inflammation that occurs or if it is merely a side-effect. In this new effort, the researchers sought to find that answer by studying the nuclear transcription factor kappa-B (NF- $\kappa$ B)—a pathway that plays a prominent role in

inciting inflammation and which has been linked to the early stages of tendinopathy.

The work by the team involved studying samples of damaged tendons from injured patients, all of whom had rotator cuff tendinopathy. They found abnormally high levels of activity in the NF- $\kappa$ B pathway. When studying mice with similar injuries, they found the same thing. A closer look showed that the high rate of activity was due to overexpression of an enzyme called IKK $\gamma$  (a subunit of the I $\kappa$ B kinase).

These findings led the researchers to genetically delete the expression of IKK $\gamma$  in the tendons of test mice. They report that doing so prevented "maladaptive tendon remodeling" in [mice](#) forced to run on a treadmill in a manner that would normally lead to tendinopathy. They also found that treating human stromal cells with an IKK $\gamma$  inhibitor resulted in repression of NF- $\kappa$ B target gene transcription. The researchers suggest that it might be possible to develop a therapy for blocking IKK $\gamma$  in humans, resulting in reduced inflammation in injured areas and a reduction in damage.

**More information:** Adam C. Abraham et al. Targeting the NF- $\kappa$ B signaling pathway in chronic tendon disease, *Science Translational Medicine* (2019). [DOI: 10.1126/scitranslmed.aav4319](https://doi.org/10.1126/scitranslmed.aav4319)

© 2019 Science X Network

APA citation: Researchers find blocking an inflammatory pathway protects tendons from injury (2019, February 28) retrieved 6 June 2021 from <https://medicalxpress.com/news/2019-02-blocking-inflammatory-pathway-tendons-injury.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*