

# Preventing elderly falls through low-cost community events

20 March 2019



Reducing traumatic injuries sustained by older adults who fall begins with reducing their risk of falls. Research from the University of Vermont suggests that free community-based events are effective in educating and establishing fall risk reduction strategies among older adults. Credit: Marcus Quigmire

Accidental falls are the leading cause of morbidity and mortality among older adults in the United States. While a number of measures can be taken to prevent dangerous and costly spills, a report from the University of Vermont shows that free community-based screenings are effective in influencing older adults to take preventative measures against falls. What's more, physical therapists are poised to make meaningful assessments at these events.

"The big thing that we are excited about is that most of the [older adults](#) who participated in these community-based screenings did adopt a fall risk reduction strategy afterward. That shows the value of these low-cost community-based screenings to foster evidence-based behavior changes," says Lee Karlsson, an epidemiologist and UVM doctor of physical therapy student.

The researchers emphasize that while their study targeted older patients, everyone is at risk of falling, regardless of age. Receiving yearly fall risk screenings can help monitor and track an individual's risk, which changes over time. "Risk increases with age and older adults are more likely to have more severe consequences as a result of a fall. This is why screening and taking action to reduce risk is so important as we grow older," says assistant professor Nancy Gell.

To screen and assess participants' risk level, researchers used a modified version of the Centers for Disease Control and Prevention's Stopping Elderly Accidents, Deaths and Injuries (STEADI) toolkit to help classify participants as being at low, moderate or high risk of falling. Participants then received tailored recommendations and strategies to prevent falls based on their screening results.

"We were excited to see these single, one-time events did lead people to make changes. We were also pleased to see that 45 percent of the participants had shared their screening results, which is helpful and easier for a primary care provider to follow up and make further recommendations," says Gell.

Key factors that impact a persons' risk of falling are balance, strength and mobility. The CDC STEADI toolkit and [screening](#) test used in the study assessed these abilities through physical tasks, like standing up from a chair and walking. Researchers and [physical therapists](#) monitored participants' movements throughout these simple tasks.

"Physical therapists, as a profession, really identify with being movement system experts and a lot of the components of movement systems contribute to a person's mobility, strength and balance. This is one area where physical therapists can have a real impact on reducing risk and reducing those traumatic falls from happening," says Karlsson.

The report, "Outcomes of a Physical Therapist-Led, Statewide, Community-Based Fall Risk Screening," was published online by the *Journal of Geriatric Physical Therapy*.

**More information:** *Journal of Geriatric Physical Therapy*, DOI: [10.1519/JPT.0000000000000228](https://doi.org/10.1519/JPT.0000000000000228)

Provided by University of Vermont

APA citation: Preventing elderly falls through low-cost community events (2019, March 20) retrieved 5 May 2021 from <https://medicalxpress.com/news/2019-03-elderly-falls-low-cost-events.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*