

What should our maximum heart rate be during exercise?

1 April 2019, by Angela Spence



Heart rate can be easily be measured with devices like FitBits and Apple Watches, although they have their limitations. Credit: Andres Urena/Unsplash

You have your runners on, your FitBit is charged, but now what?

When you [exercise](#), your [heart](#) and breathing rates increase, delivering greater quantities of oxygen from the lungs to the blood, then to exercising muscles.

Determining an optimal heart rate for exercise depends on your exercise goal, age, and current fitness level.

Heart rate and exercise intensity share a direct, linear relationship: the more intense the exercise, the higher the heart rate.

When you exercise at the highest possible intensity, your heart will reach maximal heart rate (HRmax), the fastest rate it is capable of beating.

But exercising at a maximal heart rate (HRmax) for every [exercise session](#) will not produce efficient fitness results. These high intensities can rarely be

sustained, negating the potential benefit of the exercise.

Exercise makes your heart more efficient

Typical [resting heart rate](#) can vary quite substantially between people and even within an individual. Around 60-80 beats per minute (BPM) for adults is common.

Improving your aerobic fitness reduces your resting heart rate, as the heart becomes more efficient with each beat. An athlete's resting heart rate, for instance, is typically around 40 BPM.

In fact, evidence suggests that [long-term exercise training increases the size of the heart](#), specifically the [left ventricle](#), a phenomenon known as "Athlete's Heart". A bigger heart means more blood can be pumped with each beat, and fewer beats per minute are required to maintain blood flow around the body. This is a beneficial physiological adaptation allowing athletes to exercise at higher intensities for longer.

How to calculate your maximal heart rate

There is substantial variation in HRmax. The only true method of determining HRmax is to conduct a maximal exercise test. But HRmax can be estimated using formulas based on age.

The authors of a [2001 study](#) proposed the following revised equation for estimating maximal heart rate:

$$\text{HRMax} = 208 - (0.7 \times \text{Age})$$

This means a 45-year-old would have a predicted HRmax of 177 BPM.

Indeed, our [genetics](#) can influence actual maximal heart rates from their predicted value. However, HRmax is not a major determinant of exercise or athletic performance. Far more important is our

physiological efficiency.

When assessing heart rate, it's also important to take into account the effects of emotions such as excitement or fear, stimulants like caffeine, and circulating hormones like adrenaline, all of which can increase heart rate.

Is exercising at maximal heart rates unsafe?

In short, the answer is no. For most adults, the risk of not doing *enough* exercise is far greater than that of doing excessive endurance exercise.

The health benefits of regular exercise are well established, although emerging evidence suggests [excessive exercise](#) may not provide extra cardiovascular health benefits.

Likewise, there's a higher chance a sedentary person will experience an acute cardiac event, like a heart attack, during exercise when they're [unaccustomed to high-intensity exercise](#), or they have a pre-existing heart condition. The maximal risk is 0.3 to 2.7 events per 10,000 person-hours.

With a third of Australians not meeting the [WHO recommended guidelines](#) of accumulating 150 minutes of exercise per week, encouraging regular physical activity continues to be a pervasive public health message.

In terms of assessing risk, an exercise pre-screening assessment with an [ESSA-qualified exercise specialist](#) will be able to assess and mitigate the risk of exercise participation.

Exercise intensity: what happens when we go 'all out'

Muscle cells require two key ingredients to function: fuel (glucose) and oxygen.

Muscles rely heavily on blood vessels to deliver the necessary nutrients and oxygen around the body, and also to remove by-products such as carbon dioxide.

The more muscles used in exercise, the more blood is distributed towards the active tissues.

When the intensity of the exercise is particularly high, the muscles start to produce another by-product called lactate.

Cells can also use lactate as a fuel although if production rate exceeds metabolism, lactate starts to accumulate and can interfere with cellular function.

The point at which this by-product starts to accumulate is termed the "lactate threshold".

Any exercise intensity that can be comfortably sustained is usually below this threshold, and will have an accompanying heart rate. As it is much easier to measure heart rate than lactate production, heart rate can be used as a surrogate measure of exercise intensity.

What is the best exercise for heart rate?

While [interval-style](#) exercise training is a popular choice for people who are time-poor, the intermittent nature of the exercise means heart rate will fluctuate, providing [not much more benefit](#) than traditional steady-state exercise.

From a scientific perspective, athletes typically use heart-rate ranges to train at specific intensities during aerobic exercise, like cycling or long-distance running.

Exercising at certain intensities are known to elicit adaptive responses from the body, for example, exercising at or below the lactate threshold.

These intensities are called training zones and are expressed relative to HRmax. For instance, a light aerobic training session would be prescribed below 75% HRmax, while training at threshold (around 95% HRmax) will induce physiological change.

Overall, some exercise is better than no exercise for your cardiovascular health. Accumulating 150 minutes of exercise per week is the minimum requirement for health benefit. Exercising at your maximal [heart rate](#) is not necessary to achieve these benefits. Athletes can use training zones, relative to HRmax, to achieve optimal adaptation and enhance endurance performance.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

APA citation: What should our maximum heart rate be during exercise? (2019, April 1) retrieved 5 May 2021 from <https://medicalxpress.com/news/2019-04-maximum-heart.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.