

Listeria outbreak linked to deli meats, cheeses in four states

April 18 2019



(HealthDay)—A listeria outbreak that has sickened eight, including one

death, has now been linked to deli meats and cheeses sold at stores in four states, the U.S. Centers for Disease Control and Prevention said Wednesday.

The illnesses in the [outbreak](#), which first began more than two years ago, have been reported in Michigan, New Jersey, New York and Pennsylvania. All eight people were hospitalized, including a patient in Michigan who died, the CDC said in a news release.

"Infection with listeria is an important public health problem in the U.S.," said Dr. Robert Glatter, an emergency medicine doctor at Lenox Hill Hospital in New York City.

"In general, the disease mainly affects [older persons](#), newborns, and adults with weakened immune systems," Glatter added. "Pregnant women are also at risk and could suffer stillbirths and miscarriages. Pregnant women are about 10 times more likely than the [general population](#) to develop an [infection](#) with listeria."

But he noted that people who are otherwise healthy rarely get sick from the bacteria.

The outbreak strain of listeria was detected in samples taken from meat sliced at a deli and from deli counters in multiple stores. A single, common supplier of deli products linked with the outbreak has not yet been identified, the CDC said.

In the outbreak, two cases of illness were reported in early 2019, and the other six were reported between November 2016 and February 2018.

An initial investigation of three cases of illness in March 2017 did not yield enough information to pinpoint the source of the outbreak, the CDC explained.

The link between the outbreak and deli-sliced products was made with information from the two more recent cases, the agency said.

At this time, the CDC is not advising consumers to avoid eating products prepared at delis, or for stores to stop selling deli-sliced products.

But consumers should clean refrigerators, kitchen countertops, utensils and other surfaces that come into contact with deli-sliced products, the agency said.

Symptoms of listeria infection include headache, stiff neck, confusion, loss of balance and convulsions, in addition to fever and muscle aches. Symptoms typically begin one to four weeks after eating contaminated food. Antibiotics are used to treat the infection.

Pregnant women and their newborns, adults aged 65 and older, and people with weakened immune systems are more likely to get sick with listeria infection, the CDC said.

These groups of people should not eat lunch meats, cold cuts or other deli meats unless they are heated to an internal temperature of 165 degrees Fahrenheit or until they are steaming hot just before serving.

More information: The U.S. Food and Drug Administration explains how to [keep listeria out of your kitchen](#).

Copyright © 2019 [HealthDay](#). All rights reserved.

Citation: Listeria outbreak linked to deli meats, cheeses in four states (2019, April 18) retrieved 13 February 2023 from <https://medicalxpress.com/news/2019-04-listeria-outbreak-linked-deli-meats.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.